


Fun Facts About LGBT



- Contents

- [Health](#)

- [Physical health](#)
 - [STDs](#)
 - [Other](#)
 - [Mental Health](#)

- [Homosexuality is Environmental, Not Genetic](#)

- [Inconsistency](#)
 - [Causes:](#)
 - [Gender Nonconformity](#)
 - [Molestation](#)
 - [\(Poor\) Upbringing](#)
 - [Porn](#)

- [Gender Dysphoria is Environmental](#)

- [Relationships & Sexual Behavior](#)
 - [Promiscuity/Instability](#)
 - [Separation](#)
 - [Domestic Abuse](#)
 - [Same-sex Parenting](#)
 - [Causing Homosexuality](#)
- [Trans](#)
 - [Health](#)
 - [STDs](#)
 - [Mental Health](#)
 - [Suicide](#)
 - [“Gender Affirming Care”](#)
 - [Puberty Blockers](#)
 - [Hormone Therapy](#)
 - [Transition Surgery](#)
 - [Social Transition](#)
 - [Surgeries On Minors](#)
 - [Transgenders in Sports](#)
 - [Trans Genocide MYTH](#)
- [Crime](#)
 - [Violent Crime](#)
 - [Drug Use](#)
 - [Prison](#)
 - [Sexual crime](#)
 - [Pedophilia](#)
- [Uncategorised](#)
- [About](#)

-
- **If you're viewing this as a downloaded copy**
- Follow this link to see the live document on Google Docs; the most up-to-date version:
<https://funfacts.top/hikrz>
- <https://lgbt.funfacts.top/>
-
- **Latest backup: (September 29th, 2025)**
- <https://files.catbox.moe/8nbcv3.pdf>
-

- **Health**

- **Physical Health**

- **STDs**

- In the U.S., **MSM** (men who have sex with men) are **2%** of the **population**, however they make up **67%** of all new **HIV** cases (2022). **87%** of **HIV** cases among **men** were of **gay** men (2022)

- <https://www.hiv.gov/hiv-basics/overview/data-and-trends/statistics>

- Archive Link: <https://archive.ph/gLK9x>

-

- **Gays** are up to **109** times as **likely** to have an **STD** compared to **heterosexuals**

- The **rate** of **HIV** and **Syphilis** infection is significantly **higher** among **homosexual** men

- **Gay** men are **67** times **more likely** to have **HIV** (U.S., 2012)

- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3462414/>

- Archive Links: <https://archive.ph/hPY6F>

- <https://web.archive.org/web/20230803202014/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3462414/pdf/TOAIDJ-6-98.pdf>

- **42.6%** of **homosexual** men have **HPV** in **lifetime** compared to just **13.2%** of **heterosexual** men

- <https://pubmed.ncbi.nlm.nih.gov/30475987/>

- Archive Links: <https://archive.ph/M9ycE>

- <https://web.archive.org/web/20230803211405/https://sci-hub.se/10.1093/cid/ciy1002>

-

- **Homosexuals** are **2%** of the population but **70%** of **HIV** cases **overall** and **86%** of cases among **men** (U.S., 2019)

- <https://www.cdc.gov/hiv/statistics/overview/in-us/incidence.html>

- Archive Link: <https://archive.ph/O6l0B>

-

- **Minimally**, at least **94%** of **cases** of **monkeypox** are among **homosexual** men

- https://www.cdc.gov/mmwr/volumes/71/wr/mm7132e3.htm?s_cid=mm7132e3_w

- Archive Link: <https://archive.ph/2Cehn>

-

- **MSM** are **59%** of **all HIV** cases while being only **4%** of the **population** according to **CDC's** estimate, and are over **44** times **more likely** to have **HIV** (2010).

CDC also states that of **MSM** in **20 major U.S. cities** in **2011**, nearly **1 in 5 MSM** are infected with **HIV** at that moment.

Between **2008-2010 HIV** cases among **MSM** increased **12%**, while for **heterosexual women**, **HIV** cases **decreased 18%** and for **heterosexual men** there was **no change**

<https://www.cdc.gov/stdconference/2010/CDC-MSM-508.pdf>

- <https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/archive/new-hiv-infections-508.pdf>

- Archive Link:

<https://web.archive.org/web/20230803195513/https://www.cdc.gov/stdconference/2010/CDC-MSM-508.pdf>

- Archive Link:

<https://web.archive.org/web/20230803195606/https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/archive/new-hiv-infections-508.pdf>

In the U.S., (2016) homosexuals made up an estimated **73%** of new **HIV** cases even though they were only **2%** of the **population**

- <https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/cdc-msm-508.pdf>

- Archive Link:

<https://web.archive.org/web/20230803195742/https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/cdc-msm-508.pdf>

-

- The **risk of HIV** through **unprotected male homosexual intercourse** is seen to be **extremely high**, as much **18 times greater** than **unprotected vaginal intercourse**.

- In fact when **protection** is used **this gap only rises** since **condoms** have been shown to have **80% efficiency** in **heterosexuals** as opposed to **70% in male homosexuals**

- <https://academic.oup.com/ije/article/39/4/1048/791327?login=false>

- <https://pubmed.ncbi.nlm.nih.gov/25469526/>

- Archive Link: <https://archive.ph/sR0Eo>

- Archive Link: <https://archive.ph/tUFE5>

-

- **Worldwide**, the risk of **HIV acquisition among gay men** and other men who have sex with men was **22 times higher** in 2018 than it was among **all adult men**.

- https://www.unaids.org/en/resources/presscentre/featurestories/2019/november/20191105_key-populations

- Archive Link: <https://archive.ph/bihGr>

-

- **Homosexuals** were **70%** of all **HIV** cases in 2018 (U.S. & Dependant Areas)

<https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-2018-update-d-vol-31.pdf>

- Archive Link:

<https://web.archive.org/web/20230803195953/https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-2018-updated-vol-31.pdf>

-

Homosexuals engaging in high risk sexual activity (i.e. unprotected sex, many partners) are **2 times more likely** to have **inflammatory bowel disease** than **heterosexuals** who engage in the **same high risk sexual behaviour**

- <https://gut.bmj.com/content/early/2022/08/31/gutjnl-2022-328218>

Archive Link: <https://archive.ph/Zve4f>

-
- **WSW** (Women who have sex with women) are **more likely** to acquire **bacterial, viral, and protozoal STIs**.
- https://academic.oup.com/cid/article/53/suppl_3/S84/312345
- Archive Links: <https://archive.ph/oqmWv>
- <https://tinyurl.com/bdekwc5w>
-
- **94%-95%** of **new HIV cases** among **young men** are **linked to gay sex**
- <https://www.lifesitenews.com/news/cdc-94-to-95-percent-of-hiv-cases-among-boys-and-young-men-linked-to-gay-sex/>
- Archive Link: <https://archive.ph/DS09M>
-
- According to the **CDC**, in **2014**, **83%** of **male Syphilis cases** affected men who have sex with men.
- <https://www.cdc.gov/nchhstp/newsroom/2015/std-surveillance-report.html>
- Archive Link: <https://archive.ph/ox9K6>
- <https://web.archive.org/web/20230821222228/https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/STD-Trends-508.pdf>
-
- **1 in 8 gay men** in **London** has **HIV**
- <http://www.pinknews.co.uk/2014/11/18/13-of-gay-and-bisexual-men-in-london-living-with-hiv/>
- Archive Link: <https://archive.ph/IsBig>
-
- **1 in 5 gay and bisexual men** have **HIV** in **21 major US cities** and **half** of them **do not know** it
- <https://www.reuters.com/article/us-aids-usa/1-in-5-gay-bisexual-men-in-u-s-cities-has-hiv-id-USTRE68M3H220100923>
- Archive Link: <https://archive.ph/IYkdM>
-
- As many as **50%** of **homosexuals** have **HIV** in their **lifetime**
- <https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/cdc-msm-508.pdf>
- Archive Link: <https://web.archive.org/web/20230804033559/https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/cdc-msm-508.pdf>
-
- In **2019**, **gay and bisexual men** accounted for **69%** of **all HIV cases** in the **US**
- <https://www.cdc.gov/hiv/group/msm/msm-content/diagnoses.html>
- Archive Link: <https://archive.ph/XmsqK>
-
- About **94.4%** of **HIV cases** between the **ages 13-19** and **94.7%** between the **ages 20-24** were **linked to gay sex** compared to **3.3-3.5%** for **heterosexual sex**
- https://www.cdc.gov/hiv/pdf/statistics_surveillance_Adolescents.pdf
- Archive Link:

https://web.archive.org/web/20230803200134/https://www.cdc.gov/hiv/pdf/statistics_surveillance_Adolescents.pdf

•

From **2005–14**, **HIV diagnoses decreased** in the United States **by 19% overall**, but **increased 6%** among all **gay and bisexual men**

• <https://archive.is/kwz7N>

•

• **Homosexuals** are **42 times more likely** to have **gonorrhoea**

• <https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/std-trends-508.pdf>

• **Archive Link:**

<https://web.archive.org/web/20230803200312/https://www.cdc.gov/nchhstp/newsroom/docs/factsheets/std-trends-508.pdf>

•

• **In 2014**, **LGBT** accounted for **83%** of primary and secondary **syphilis** cases

• <https://www.cdc.gov/msmhealth/STD.htm>

• **Archive Link:** <https://archive.ph/00bcD>

•

• **Infection rates** for **gonorrhoea** and **chlamydia** are **increasing** among **active homosexual men**

• http://journals.lww.com/stdjournal/Abstract/2015/02000/Substantial_Increases_in_Chlamydia_and_Gonorrhea.6.aspx

• **Archive Link:** <https://archive.ph/DjWKb>

•

• **Homosexuals** account for **67%** of **AIDS** patients (U.S., 2016)

• <https://archive.ph/scA5b>

•

• **Active homosexual men** are **17 times more likely** than **straight people** to have **anal cancer**

• <https://www.cdc.gov/msmhealth/STD.htm>

• **Archive Link:** <https://archive.ph/00bcD>

•

• A **study** found **67.5%** of **homosexual men** are **infected** with **intestinal parasites** compared to **16%** of **heterosexual men**

• <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1704818/>

• **Archive Links:** <https://archive.ph/U94O5>

• <https://web.archive.org/web/20230804033730/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1704818/pdf/canmedaj01466-0054.pdf>

•

• **10%** of **new Hepatitis A** and **20%** of all **new Hepatitis B** infections in the United States are among **gay and bisexual men**

• <https://www.cdc.gov/msmhealth/viral-hepatitis.htm>

• **Archive Link:** <https://archive.ph/jw47>

•

• **47%** of **homosexuals** have **HPV** compared to only **12%** of **heterosexuals**

- <https://pubmed.ncbi.nlm.nih.gov/21148496/>
- Archive Link: <https://archive.ph/6tnBE>
-
- **Homosexual** men are **35 times more likely** to have **anal cancer** than **heterosexual** men
- <https://academic.oup.com/jid/article/204/11/1711/850478>
- Archive Link: <https://archive.ph/4n3Ag>
- <https://tinyurl.com/j44udhu5>
-
- **Gay** and **bisexual** men living with **HIV** and those who reported **receptive anal intercourse** were at **increased risk** of incident anal **HRHPV** (high-risk anal human papillomavirus)
- <https://sti.bmj.com/content/98/2/101>
- Archive Link: <https://archive.ph/Pt4mc>
- <https://web.archive.org/web/20230821225133/https://sti.bmj.com/content/sextrans/98/2/101.full.pdf>
-
- **39% of homosexual men** have **EBV virus** compared to **6% of heterosexuals**
- <https://pubmed.ncbi.nlm.nih.gov/10837190/>
- Archive Link: <https://archive.ph/0dpxu>
- <https://sci-hub.se/10.1086/315521>
- <https://web.archive.org/web/20230821225706/https://sci-hub.se/10.1086/315521>
-
- **Homosexual** behavior **creates new** strains of **multi-drug resistant STDs**
- <https://www.acpjournals.org/doi/10.7326/0003-4819-148-4-200802190-00204>
- Archive Link: <https://archive.ph/g2vqv>
- <https://sci-hub.se/10.7326/0003-4819-148-4-200802190-00204>
- <https://web.archive.org/web/20230821225842/https://sci-hub.se/10.7326/0003-4819-148-4-200802190-00204>
-
- **Lesbians** are **significantly more likely** to have **chlamydia** than **heterosexual** women
- <https://pubmed.ncbi.nlm.nih.gov/20724697/>
- Archive Link: <https://archive.ph/uj63Y>
- <https://archive.ph/Ai790>
-
- More recent data from NHANES conducted in 2001–2006 among women aged 18–59 years demonstrates an **HSV-2 seroprevalence** of **36.2%** among **women reporting same-sex partners in their lifetime**,
- Compared to **23.8%** among **women reporting no lifetime same-sex behaviour**
- <https://pubmed.ncbi.nlm.nih.gov/20531032/>
- Archive Link: <https://archive.ph/zP9bN>
- <https://archive.ph/vmMHN>
-
- **66.8% of homosexuals** report to having **previous infection with pediculosis; 38.4%, gonorrhoea; 24.1%, nonspecific urethritis; 18.1%, venereal warts; 13.5%, syphilis; 9.7%, hepatitis; and 9.4%, herpes** (1977, n=4.2K)
- <https://pubmed.ncbi.nlm.nih.gov/6895004/>

- Archive Link: <https://archive.ph/GYwZV>
- <https://web.archive.org/web/20230821231851/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1619871/pdf/amjph00669-0030.pdf>
-
- **Homosexual men have a high prevalence of child sexual abuse (CSA) in the United States, and it is suggested that CSA history is a risk factor for HIV infection in men who have sex with men (MSM). 27.3% of homosexual men reported a CSA history.** Meta-analysis indicated that **MSM with CSA history were more likely to be HIV positive** and to engage in recent **unprotected anal intercourse**. They were also **more likely to report frequent casual male partners, substance use, and sex while under the influence of alcohol or other drugs**
- <https://pubmed.ncbi.nlm.nih.gov/22676462/>
- Archive Link: <https://archive.ph/P7bGI>
-
- **Bisexually active adolescent males report especially high levels of AIDS risk behaviour**
- <https://pubmed.ncbi.nlm.nih.gov/11818292/>
- Archive Link: <https://archive.ph/t23bq>
-
- **HIV-positive practising men 90 times more likely to develop anal cancer**
- <https://www.lifesitenews.com/news/study-hiv-positive-practicing-homosexual-men-900-more-likely-to-develop-an/>
- Archive Link: <https://archive.ph/h3edf>
-
- **Homosexuals aren't allowed to donate blood to the International Red Cross, because it is statistically about as risky and dangerous as letting heterosexuals donate blood and not testing it for any diseases.**
- https://www.chrisstucchio.com/blog/2016/why_gays_cant_donate_blood.html
- Archive Link: <https://archive.ph/6UKPN>
-
- **Other**
- National Household Survey of Drug Abuse found that **homosexual sex is as harmful as drug abuse, prostitution, or smoking**
- <https://pubmed.ncbi.nlm.nih.gov/16173359/>
- Archive Link: <https://archive.ph/MaEIO>
-
- A large representative sample of Canadian homosexuals found that **on average homosexuals have up to 20 years lower life expectancy**
- <https://pubmed.ncbi.nlm.nih.gov/9222793/>
- Archive Link: <https://archive.ph/u2hxd>
- <https://tinyurl.com/yvxxv9any>
-
- **Sexual minorities are significantly less likely to be physically active or exercise.**
- **Sexual minorities** (lesbian, gay, bisexual, mostly heterosexual) have on average 1.21-2.62

h/week less MVPA (physical activity, exercise) and are **46-76 % less likely** to participate in **team sports** than heterosexuals.

- <https://pubmed.ncbi.nlm.nih.gov/24347406/>
- Archive Link: <https://archive.ph/c0jg4>
- <https://web.archive.org/web/20230821232615/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3945417/pdf/nihms551295.pdf>

• After accounting for **several covariates**, compared with **heterosexual females**, **sexual minority females** are **less likely** to participate in **team sports** and **more likely** to be **overweight**, and **more likely** to be **obese**. **Sexual minority males** are **less likely** than heterosexual males to be **physically active** or to **participate in team sports**

- <https://pubmed.ncbi.nlm.nih.gov/26180946/>
- Archive Link: <https://archive.ph/MkjQ1>
- <https://archive.ph/zCnB0>

• **Systematic review of research found that lesbian and bisexual women have significantly greater body mass index (BMI) and a higher percentage with a BMI over 30** than heterosexual women

- <https://pubmed.ncbi.nlm.nih.gov/25747521/>
- Archive Link: <https://archive.ph/H9FOf>

• **Attractive and successful women are more likely** to be heterosexual

- <https://pubmed.ncbi.nlm.nih.gov/22329089/>
- Archive Link: <https://archive.ph/J90yo>
- <https://sci-hub.se/10.1080/19485565.2011.615172>
- <https://web.archive.org/web/20230821233734/https://sci-hub.se/10.1080/19485565.2011.615172>

• **A homosexual lifestyle can result** in a **lower lifespan** than **smokers**

- <https://www.lifesitenews.com/news/expert-research-finds-homosexuality-more-dangerous-than-smoking/>
- Archive Link: <https://archive.ph/LAnUG>

• **Homosexual orientation** was associated with **1.5-fold higher odds** of reporting **erectile dysfunction**

- <https://pubmed.ncbi.nlm.nih.gov/30926517/>
- Archive Link: <https://archive.ph/M6lmb>

• **70% of all homosexual men are infected with intestinal parasites**, as opposed to only **10% of straight men**

<https://pubmed.ncbi.nlm.nih.gov/7437971/>

- Archive Link: <https://archive.ph/DLw0y>
- <https://web.archive.org/web/20230821233906/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1704818/pdf/canmedaj01466-0054.pdf>

- **"Men who practise anal intercourse have higher rates of faecal incontinence."**
- **"Men who practised anal intercourse had higher odds of having faecal incontinence than women."**
- <https://pubmed.ncbi.nlm.nih.gov/26753893/>
- Archive Link: <https://archive.ph/jwPuf>
- <https://web.archive.org/web/20230821234044/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5231615/pdf/nihms840590.pdf>
-
- The **immune system** can be **severely compromised** if **sperm** were to be **injected** into a **host's anus** because of the **sperm's reproductive mechanisms**, as can be seen from this **experiment on rabbits**
- <https://pubmed.ncbi.nlm.nih.gov/6608789/>
- Archive Link: <https://archive.ph/lrUN8>
- <https://sci-hub.se/10.1126/science.6608789>
- <https://web.archive.org/web/20230821234203/https://sci-hub.se/10.1126/science.6608789>
-
- **Anal sex is extremely dangerous** as the **female body** can comprehend certain **signals** emitted by "**immuno-regulatory macromolecules**" found in **seminal fluid**. These **signals** allow for the **intimate union** necessary for **human reproduction** in the **vagina**. However, when these **signals** are **received in other areas**, i.e. the **anus**, they are not properly interpreted and **can lead to the fusion of sperm with somatic body cells**. This **fusion often leads to the formation of cancerous malignancies**.
- <https://doi.org/10.1038/icb.1997.25>
- Archive Link: <https://archive.ph/zDEnv>
- <https://sci-hub.se/10.1038/icb.1997.25>
- <https://web.archive.org/web/20230821234441/https://sci-hub.se/10.1038/icb.1997.25>
-
- Compared to straight adults, **lesbian females** had a **significantly higher** chance of being **overweight** while **gay males** had a **significantly lower** chance of being **overweight**. Similarly, **lesbians** were **more likely** to be **obese** whereas **gay men** were **significantly less likely** to be **obese**. **Bisexual females** had a **significantly higher chance** of being **overweight** and **obese** whereas **bisexual males** showed no **significant difference**.
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6572698/>
- Archive Link: <https://web.archive.org/web/20230821234552/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6572698/pdf/ijerph-16-01828.pdf>
-
- In **2019**, **1734 (8%)** of the **21762 gay men** who **participated** in this **survey** reported **faecal incontinence**, which is due to **receptive anal intercourse**
- <https://pubmed.ncbi.nlm.nih.gov/34645594/>
- Archive Link: <https://web.archive.org/web/20240416202801/https://pubmed.ncbi.nlm.nih.gov/34645594/>
-
- A **2024** study found that of **143 men** (all of whom were **aged 12 to 24**), and reported a

newly diagnosed acute case of HIV, found that 71.8% of these young men self-reported as being gay, or bisexual.

- <https://pubmed.ncbi.nlm.nih.gov/38043041/>
- Archive Link: <https://archive.ph/50gp0>
-
- 37.8% of LGB U.S. adults have tried electronic cigarettes, compared to 16.5% of heterosexual U.S. adults
- 56% of LGB high school students reported trying e-cigarettes, compared with 30.3% and 49.8% of their straight counterparts
- <https://www.hhs.gov/sites/default/files/2024-sgr-tobacco-related-health-disparities-full-report.pdf>
- Archive Link: <https://archive.is/isidM>

● Mental Health

• *It is known that LGBT persons generally have poorer mental health than normal people (if you don't know, you can see from the following sources). Apologists say this is due to discrimination, however, if this is true, then they have to prove that gays are discriminated against as much as the mental health statistics show. Since (as shown by the following sources), the rate of discrimination does not match the higher rate of poor mental health, the association between their mental health conditions and homosexuality are an indication of it (i.e. homosexuality) being a mental illness.*

-
- In Sweden, a country with extremely tolerant climate for homosexuality, married gays have 3 times higher suicide rates and are significantly more depressed, even after adjusting for socioeconomic status, also after adjusting for HIV status
- <https://link.springer.com/article/10.1007%2Fs10654-016-0154-6>
- Archive Links: <https://archive.ph/sxibe>
- <https://sci-hub.se/10.1007/s10654-016-0154-6>
- <https://web.archive.org/web/20230821234733/https://sci-hub.se/10.1007/s10654-016-0154-6>
- Men in Denmark (one of the most pro-gay societies) that are in same-sex relationships have an **8 times higher risk of suicide**
- <https://pubmed.ncbi.nlm.nih.gov/20033129/>
- Archive Link: <https://archive.ph/1PLdN>
- <https://archive.ph/09gaw>
- Discrimination due to sexual orientation alone is **not significantly associated** with past year psychiatric disorders
- <https://pubmed.ncbi.nlm.nih.gov/24826824/>
- Archive Link: <https://archive.ph/pnLBL>
- <https://web.archive.org/web/20230821235710/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4144327/pdf/nihms579680.pdf>
-

- **Compared to heterosexuals, LGBT individuals have significantly poorer mental health (higher levels of psychological distress, greater likelihood of having a mental disorder diagnosis), more substance use, etc, and adjusting for sociodemographic variables or adjusting for discrimination DOES NOT account for these mental health disparities between heterosexual and LGBT persons, meaning discrimination isn't causing it.**

- <https://www.tandfonline.com/doi/abs/10.1080/15574090802226626?journalCode=wlhr20>
- Archive Link: <https://archive.ph/z66M3>
- <https://sci-hub.se/10.1080/15574090802226626>
- <https://web.archive.org/web/20230821235822/https://sci-hub.se/10.1080/15574090802226626>

It is **often suggested** that **suicide** in **LGBT youth** is due to **discrimination**, but when **120 consecutive suicides** were **analysed**, it was found that in **0 cases** among **LGBT youth** did the **suicide** follow an **episode of stigma**, but those who **committed suicide** did have **other mental disorders** as well

- <https://onlinelibrary.wiley.com/doi/10.1111/j.1943-278X.1995.tb00491.x>
- Archive Link: <https://archive.ph/i7NxB>
- <https://sci-hub.se/10.1111/j.1943-278x.1995.tb00491.x>

- Adjusting for **discrimination, victimisation and social isolation** only **partially mediates relationship** between **psychiatric disorders** and **homosexuality**, **homosexuals** are still **significantly more likely** to have **other mental illnesses after adjustment**

- <https://pubmed.ncbi.nlm.nih.gov/29450600/>
- Archive Link: <https://archive.ph/e0kTa>
- https://web.archive.org/web/20230822000218/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5862943/pdf/127_2018_Article_1491.pdf

- A **2022 meta analysis of studies** on **mental health of sexual minority individuals** found that **compared to heterosexuals, homosexuals/bisexuals** are **significantly more likely** to have a **psychiatric disorder** of all categories and are **significantly more likely** to have **depression** or be **suicidal**. Also, there is **no evidence** for a **trend** of an **improvement** in **recent years** (as there is **more social support**), instead it is **staying the same**.

- <https://pubmed.ncbi.nlm.nih.gov/35090051/>
- Archive Link: <https://archive.ph/PxfKx>
- <https://archive.ph/VbqLg>

- **Homophobia** does **not** have a **significant effect** on **substance use** among **homosexuals**. <https://pubmed.ncbi.nlm.nih.gov/25397640/>

- Archive Link: <https://archive.ph/eRQ5x>
- <https://archive.ph/bR0Wm>

- "**Gay/lesbian** and **bisexual** respondents had **higher levels** of **psychopathology** than **heterosexuals** across all outcomes. **Gay/lesbian** respondents had **higher odds** of **exposure** to **child abuse** and **housing adversity**, and **bisexual** respondents had higher odds of exposure to **child abuse, housing adversity, and intimate partner violence**, than **heterosexuals**.

Greater exposure to these adversities **explained** between **10-20%** of the **relative excess** of **suicidality, depression, tobacco use, and symptoms** of alcohol and drug abuse among **LGB youths compared to heterosexuals.**"

- <https://pubmed.ncbi.nlm.nih.gov/22964371/>
- Archive Link: <https://archive.ph/iylC3>
- <https://web.archive.org/web/20230822001037/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3445753/pdf/nihms400049.pdf>

• **Homophobic bullying** has **no statistically significant effect** on **substance use** of **LGB adolescents**

- <https://pubmed.ncbi.nlm.nih.gov/28641130/>
- Archive Link: <https://archive.ph/dPb4Q>
- <https://web.archive.org/web/20230822013232/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5575887/pdf/nihms886441.pdf>

• **Minority stress, aka stigma, did not** have significant associations with **neither tobacco, alcohol or drug use** among gay men

https://www.researchgate.net/publication/228343331_Minority_Stress_Masculinity_and_Social_Norms_Predicting_Gay_Men's_Health_Risk_Behaviors

- Archive Link: <https://archive.ph/YyThU>

• **Lesbian, gay and bisexual youth** were **more than twice** as **likely** to have **attempted suicide** than their **heterosexual peers**.

- <https://www.cdc.gov/msmhealth/suicide-violence-prevention.htm>
- Archive Link: <https://archive.ph/Vn3UF>

• **Homosexuals** in the **Netherlands** are **10 times** more **likely** to report **suicidal thoughts**

- <https://pubmed.ncbi.nlm.nih.gov/16799841/>
- Archive Link: <https://archive.ph/nhMUp>
- <https://web.archive.org/web/20230822013406/https://sci-hub.se/10.1007/s10508-006-9020-z>

• **It is unlikely** that **SSM (Same-sex Marriage)** laws have **reduced suicide, suicide planning/ideation, or depression** among **teen sexual minorities**; instead, they might have **worsened mental health** for these individuals.

- https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3503769
- Archive Link: <https://archive.is/ooBRk>

• **"Gay, lesbian, and bisexual (GLB) youths** report **elevated levels of substance use relative to heterosexual youths** [...] This report longitudinally examined three hypothesised explanations for cigarette, alcohol, and marijuana use among 156 GLB youths. Counter to two hypotheses, **neither a history of childhood sexual abuse nor recent experiences of gay-related stressful life events** were associated with **increased substance use over time.**"

- <https://pubmed.ncbi.nlm.nih.gov/15451129/>

- Archive Link: <https://archive.ph/ZXRRt>
- <https://web.archive.org/web/20230822013841/https://sci-hub.se/10.1016/j.addbeh.2004.02.032>
-
- **Study** comparing **homosexual twin** to their **heterosexual twin** found that:
- **Same-gender sexual orientation** is **significantly associated** with each of the **suicidality measures**.
- **Homosexual to heterosexual twins matched-pair odds ratios** are following: **2.4** for **thoughts about death**; **4.4** for **wanted to die**; **4.1** for **suicidal ideation**; **6.5** for **attempted suicide**; and **5.1** for any of the **suicidal symptoms**.
- After **adjustment** for **substance abuse** and **depressive symptoms** (other than **suicidality**), all of the **suicidality measures** remain **significantly associated** with **same-gender sexual orientation** except for wanting to die.

- <https://pubmed.ncbi.nlm.nih.gov/10530625/>

- Archive Link: <https://archive.ph/aHc2L>

- <https://archive.ph/EYxh0>

-
- **LGB sexual orientation** is **significantly associated** with an **elevated risk** for **suicide attempts**, **suicide plans** and **depression**, even after **controlling for victimization**, **race**, **gender**, and **drug use**

- <https://www.sciencedirect.com/science/article/abs/pii/S1054139X11002473>

- Archive Link: <https://archive.ph/mRKwM>

LGB status significantly predicts drug use and suicide risk even after controlling for victimization

- <https://psycnet.apa.org/record/2017-25344-002>

- Archive Link: <https://archive.ph/eEWeR>

-
- **Homosexuality** continues to be a **risk factor** for **attempting suicide** even after **controlling for victimisation** and **other relevant factors**

- <https://pubmed.ncbi.nlm.nih.gov/10323629/>

- Archive Link: <https://archive.ph/jwELj>

Gay and bisexual men are **significantly more likely** to have **eating disorders** than **heterosexual men**.

- <https://onlinelibrary.wiley.com/doi/10.1002/eat.20360>

- Archive Link: <https://archive.ph/wip/BFwRC>

-
- **Only 63%** of **autistic** individuals are **heterosexual**, much **lower** than the **general population**

- <https://pubmed.ncbi.nlm.nih.gov/34536071/>

- Archive Link: <https://archive.ph/yfdqJ>

-
- In this study, **high functioning ASD individuals** were **more likely** to have **paraphilias** and **hypersexuality**, as well as **much more likely** to be **homosexual or bisexual**

- <https://pmc.ncbi.nlm.nih.gov/articles/PMC5789215/>
- Archive Link: <https://archive.ph/JWF40>
-
- **Non-heterosexuals higher apathy, narcissism and self-centred personalities**
- <https://www.sciencedirect.com/science/article/abs/pii/S0191886921004177>
- Archive Link: <https://archive.ph/uSx5J>
-
- **LGBT are over 4 times more likely to commit suicide**
- **LGBT are 2.5 times more likely to have anxiety**
- **Over 2 times more likely to have depression**
- **And 3 times more likely to have long term psychological problems**
- <https://healthyliferecovery.com/mental-health-addiction-in-lgbtq/>
- Archive Link: <https://archive.ph/HmcVl>
-
- **Bisexual students are about 1.5x more likely to report suicidal thoughts and attempts compared to Gays and Lesbians**
- **3x as many nonbinary people reported suicidal thoughts as those who identified as men and women**
- **Most suicide attempts among LGBQ people occurred within 5 years of 'realising ones sexual identity'**
- **Suicidal thoughts come as early as 14 when 'realising ones sexual identity'**
- **Lifetime suicide attempts were reported by 31% of young LGBQ people**
- <https://williamsinstitute.law.ucla.edu/press/suicide-coming-out-press-release/>
- Archive Link: <https://archive.ph/Px7Z0>
-
- **Homosexuals are more likely than straight people to have anxiety, depression and bipolar disorder**
- <https://www.cdc.gov/msmhealth/mental-health.htm>
- Archive Link: <https://archive.ph/LKQ8l>
-
- **Study of lesbian and bisexual women finds that "sexist and heterosexist events were not significantly related to positive psychological well being"**
- <https://pubmed.ncbi.nlm.nih.gov/19042281/>
- Archive Link: <https://archive.ph/leCFG>
-
- **Gay men are 7 – 12 times more likely than straight men to have eating disorders**
- <https://www.nationaleatingdisorders.org/learn/general-information/lgbtq>
- Archive Link: <https://archive.ph/Ozi0b>
-
- **The LGBT population is 2 – 3 times more likely to have long-term psychological or emotional problems**
- <https://link.springer.com/article/10.1007%2Fs11606-014-2905-y>
- <https://archive.ph/GoSuB>

-
- **Lesbians are twice as likely as straight women to have eating disorders**
<https://www.nationaleatingdisorders.org/learn/general-information/lgbtq>
- Archive Link: <https://archive.ph/0zj0b>

Homosexuals are more likely to have mental illness, have 2 or more lifetime disorders and to have substance use disorder

<https://pubmed.ncbi.nlm.nih.gov/11146762/>

- Archive Link: <https://archive.ph/JNCxB>

- **Multivariate regression analysis of a longitudinal study** found "The results reveal that only **changes in sexual identity** toward more **same-sex-oriented identities** are associated with **increases in depressive symptoms.**"

- <https://pubmed.ncbi.nlm.nih.gov/25690912/>

- Archive Link: <https://archive.ph/HGhqN>

- **This study reported that sexual minority groups** (heteroflexible, later bisexual, and lesbian, gay,

- or bisexual) experienced **greater depressive symptomology and suicidality** compared to groups characterized by **opposite-sex attraction, behavior, and identities** (heterosexual early daters and heterosexual late daters)

- <https://pubmed.ncbi.nlm.nih.gov/25956289/>

- Archive Link: <https://archive.ph/1SwzL>

- By analysing **CDC data** it was found that **identifying as bisexual/homosexual** was **associated with fewer past attempts at quitting smoking, lower age at first cigarette, and higher nicotine dependence** when compared to **heterosexual women**

- <https://pubmed.ncbi.nlm.nih.gov/25485860/>

- Archive Link: <https://archive.ph/0R24x>

- **Meta analysis** found that **LGB adults have higher prevalence of poor mental health and low wellbeing** when compared to **heterosexuals**

- <https://pubmed.ncbi.nlm.nih.gov/27009565/>

- Archive Link: <https://archive.ph/JuTtf>

- **Homosexuality is significantly related with psychopathology and substance abuse/dependence disorders.**

- <https://pubmed.ncbi.nlm.nih.gov/10530626/>

- Archive Link: <https://archive.ph/e16mg>

- One study found that **damage to the brain can lead to homosexuality**

- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2117556/>

- Archive Link: <https://archive.ph/N4S4c>

- **Homosexuality is correlated with high neuroticism**
- <https://psycnet.apa.org/record/1986-17173-001>
- Archive Link: <https://archive.ph/OI6Wd>

Homosexuals score higher than heterosexuals on neuroticism

<https://pubmed.ncbi.nlm.nih.gov/32510233/>

- Archive Link: <https://archive.ph/aRsju>
-
- **"Same-sex attractions were significantly correlated with a range of mental health problems and substance use. Additionally, same-sex attraction was significantly correlated with certain behavioral addictions (compulsive sexual behavior and binge eating disorder) as well as impulsive/compulsive traits."**
- <https://www.cambridge.org/core/journals/cns-spectrums/article/abs/links-between-sexuality-impulsivity-compulsivity-and-addiction-in-a-large-sample-of-university-students/6E51FC70C52590C02797A4FCD2B3D8E1>

- Archive Link: <https://archive.ph/mJLJP>
-

• **General discrimination and bullying accounts for only 14% of the disparity between those bullied vs those who are not**

(Note: This isn't about sexual orientation, just discrimination in general)

- [https://www.jahonline.org/article/S1054-139X\(20\)30687-X/fulltext](https://www.jahonline.org/article/S1054-139X(20)30687-X/fulltext)
- Archive Link: <https://archive.ph/wip/rSmg4>
-

• **General discrimination has only 11% effect on suicide rates**

• **(PS: This doesn't mediate multiple fold disparity)**

(Note: This isn't about sexual orientation, just discrimination in general)

<https://www.cambridge.org/core/journals/psychological-medicine/article/association-of-childhood-bullying-victimisation-with-suicide-deaths-findings-from-a-50year-nationwide-cohort-study/BEFC40031370A706EA1AFCD3D2CC259C>

- Archive Link: <https://archive.ph/noY9W>
-

• A **study of twins** examined the relationship between **homosexuality** and **suicide**. It found that **homosexuals** were at a **higher risk** for **overall mental health problems** and were **6.5 times more likely** than the **heterosexual twins** to have **attempted suicide**

- <https://pubmed.ncbi.nlm.nih.gov/10530625/>
- Archive Link: <https://archive.ph/aHc2L>
-

According to a **systematic review** and **meta analysis** of **40 studies**:

LGBT people are **3.74 times more likely** to have **"mental difficulty"**, whilst they are **only 2.67 times more likely** to report **victimisation**

Also it found **66% of LGBT never experienced victimisation**

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0245268>

- Archive Link: <https://archive.ph/NhBLm>
-

- "In adjusted logistic regression models, gay or lesbian respondents had greater odds than heterosexual respondents of reporting anxiety disorders, mood disorders, and anxiety-mood disorders. Bisexual respondents had greater odds of reporting anxiety disorders, mood disorders, anxiety-mood disorders, and heavy drinking. Gay or lesbian and bisexual respondents had greater odds than heterosexuals of reporting co-occurring anxiety or mood disorders and heavy drinking. The highest rates of disorders were observed among bisexual respondents, with nearly quadruple the rates of anxiety, mood, and combined anxiety and mood disorders relative to heterosexuals and approximately twice the rates of gay or lesbian respondents."

- <https://pubmed.ncbi.nlm.nih.gov/26985615/>

- Archive Link: <https://archive.ph/wip/RtVdk>

-

- As compared to non-referred comparisons, participants with ASD (autism spectrum disorder) were 7.59 times more likely to express gender variance; participants with ADHD were 6.64 times more likely to express gender variance.

- <https://pubmed.ncbi.nlm.nih.gov/24619651/>

- Archive Link: <https://archive.ph/6Ttt0>

-

• Homosexuality is Environmental, Not Genetic

- A study on twins suggested zero genetic influence on homosexuality. "[...] the pattern of concordance (similarity across pairs) of same-sex preference for sibling pairs does not suggest genetic influence independent of social context."

- Regarding causation: "[...] our results support the hypothesis that less gendered socialization in early childhood and preadolescence shapes subsequent same-sex romantic preferences."

- <https://psycnet.apa.org/record/2002-15745-002>

- Archive Link: <https://archive.ph/NeCzJ>

-

- A study with almost half a million participants found that the gay gene doesn't exist, genes explain only 8%–25% of homosexuality, not even a quarter at most. Also, the study found there is no X chromosome association with homosexuality

- Also "All measured common variants together explain only part of the genetic heritability at the population level and do not allow meaningful prediction of an individual's sexual preference"

- <https://pubmed.ncbi.nlm.nih.gov/31467194/>

- Archive Link: <https://archive.ph/ftV3C>

-

- There is no X-gene association with homosexuality, there is no "gay gene" <https://pubmed.ncbi.nlm.nih.gov/10405456/>

- Archive Link: <https://archive.ph/3VcKP>

-

- **Xq28** is not the “**gay gene**”, it has been **debunked**
<https://pubmed.ncbi.nlm.nih.gov/10213693/>
- Archive Link: <https://archive.ph/88vOj>
-
- **Homophobia is 36% genetic, higher than homosexuality.** By **pro-LGBT logic** it should be **considered hateful** to **stigmatise homophobia**.
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2292426/>
- Archive Link: <https://archive.ph/WoEk4>
-
- **Black Americans** are **more homophobic** than **White Americans**,
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2974805/>
- Archive Link: <https://archive.ph/Y8MQW>
- **And yet, Black Americans are more likely to identify as gay than any other group in the US.** If a large portion of the population was secretly always gay and homophobia is the reason why less people traditionally identified as gay, then Black Americans should be less likely than White Americans to identify as gay.
- <https://www.washingtoninformer.com/blacks-are-more-likely-to-identify-as-gay-than-any-other-group/>
- Archive Link: <https://archive.ph/NPKKh>
-
- Study shows **identical twins** with **different sexual orientations**. These **differences** within the **pairs** are the **same** as **homosexuals** and **heterosexuals** who are **not twins or related**. From this we concluded that **homosexuality** is **caused by the environment**, and not **genetics**.
- <https://pubmed.ncbi.nlm.nih.gov/30297914/>
- Archive Link: <https://archive.ph/CtvVI>
-
- By analysing **identical twins** with **discordant sexual orientation**, it was found that **sexual orientation** and **gender non-conformity** is **caused by non-genetic factors**
<https://pubmed.ncbi.nlm.nih.gov/29154643/>
- Archive Link: <https://archive.ph/Yno9U>
-
- **Number of people** engaging in **homosexual practices** **increased 2–3 times** in the **last 50 years**
- <https://www.sciencedaily.com/releases/2016/06/160601131959.htm>
- Archive Link: <https://archive.ph/SFmig>
-
- **In non-western tribal societies** there isn't any **homosexual behavior**, it isn't an option, there isn't even a word for it
- <https://onlinelibrary.wiley.com/doi/full/10.1002/9781118896877.wbiehs472>
- Archive Link: <https://archive.ph/B16hl>
-
- **56%** of **homosexuals** and **18%** of **heterosexuals** reported having a **homosexual teacher**, showing that **homosexual teachers** do **influence children** into this **lifestyle**

- **12% of men and 4% of women with homosexual teachers** have said that the **teacher** has made **sexual advances** towards them.
- **Homosexual teachers influence children** to accept **homosexuality**.
- **20%** of those with a **homosexual teacher** said they were **influenced** to regard **homosexuality** as **socially acceptable**.
- **Homosexual teachers influence kids to try homosexuality**, **4%** have said that the **teacher influenced** them to **try homosexuality**.
- “The findings that **homosexuals more frequently** claimed to have **had homosexual teachers** and **more frequently reported homosexual sex with teachers** tend to **fit the contagion model of homosexuality**—that **homosexuality is taught by or caught by sexual interaction with homosexual practitioners**.”
- <https://pubmed.ncbi.nlm.nih.gov/9005252/>
- Archive Link: <https://archive.ph/w4dVD>
- These **findings** are **consonant with** those of **other studies** in which **disproportionately more incest by homosexuals** was reported.
- **Incest cannot be excluded as a significant basis for homosexuality**.
- <https://journals.sagepub.com/doi/10.2466/pr0.1995.76.2.611>
- Archive Link: <https://archive.ph/ykqp1>
-
- Boys with a **history of maltreatment** were **significantly more likely** to be **nonheterosexual even after controlling for GNCB**
https://www.researchgate.net/publication/336646140_Childhood_Maltreatment_Gender_Nonconformity_and_Adolescent_Sexual_Orientation_A_Propective_Birth_Cohort_Study
- Archive Link: <https://archive.ph/6ZAGc>
-
- **Alcoholism is 50% genetic, much higher than homosexuality**
- <https://pubmed.ncbi.nlm.nih.gov/25171596/>
- Archive Link: <https://archive.ph/AE2Fz>
-
- **Only 20% of male monozygotic twins share homosexuality**, the **difference** between **concordance rate of monozygotic twins** and **dizygotic twins** was **not significant**, which suggests **little to no genetic influence**, and shows that it is more **caused** by the **environment** instead.
If it was **heritable**, it should be shared **100%** of the time in **monozygotic twins**, yet that's nowhere near the truth.
- <https://ajp.psychiatryonline.org/doi/full/10.1176/appi.ajp.157.11.1843>
- Archive Link: <https://archive.ph/JugBP>
-
- **Only 20% of male monozygotic twins share homosexuality**, which suggests **little to no genetic influence**, and shows that it is more **caused** by the **environment** instead.
If it was **heritable**, it should be shared **100%** of the time in **monozygotic twins**, yet that's nowhere near the truth.
- <https://pubmed.ncbi.nlm.nih.gov/10743878/>

Archive Link: <https://archive.ph/1hBY4>

-
- "Our GWAS results **did not identify any genetic loci** reaching genomewide significance at $p < 5 \times 10^{-8}$ among men or women.
- We did **not find evidence of an association** between **sexual identity** and **SNPs** on the X chromosome in men, women or the samples combined at genome-wide significance."
- <https://blog.23andme.com/wp-content/uploads/2012/11/Drabant-Poster-v7.pdf>
- Archive Link: <https://archive.ph/AGMm1>
-
- An experiment called "**universe 25**" had a group of **rodents** isolated in a box with **everything they needed (food, water, etc.)** except **open space**. This caused many **abnormal behaviours** which would result in the **death** of the **rodents**. One of said **abnormal behaviours** was **intentional homosexuality**, suggesting **homosexuality** may very well precede and cause the end of the human race like it did for the **rodents**. This could also mean that **homosexuality** is **related to other destructive behaviours** displayed by the rats like **cannibalism and females abandoning their young** as they were **both caused** by the **same thing**.
- <https://www.cabinetmagazine.org/issues/42/wiles.php>
- Archive Link: <https://archive.ph/SUin3>
-
- **Former American Psychological Association President: "Homosexuals Can Change"**
- <https://web.archive.org/web/20231111035841/https://www.youtube.com/watch?v=RuyCT9yqT-4>
- Archive Link: <https://files.catbox.moe/tp36q2.mp4>

• Inconsistency

- As many as **33%** of people **identify** as some part of **LGBT** in their **life** While only **5%** **identify** as **LGBT** at the time of the **study**
- <https://link.springer.com/article/10.1007/s10508-010-9691-3>
- Archive Link: <https://archive.md/Nkj0w>
- **99.8%** of **lesbian, gay and bisexual teenagers** will **change** their **sexual orientation** within **13 years**
- <https://pubmed.ncbi.nlm.nih.gov/26048483/>
- Archive Link: <https://archive.md/4LupV>
- "**Furthermore, the majority** of the **nonheterosexual** respondents **had undergone multiple changes in sexual identity: 82%** of the **lesbian/bisexual women** and **78%** of the **gay/bisexual men** reported having **switched their sexual identity label** at least once after having first adopted a **nonheterosexual identity**, and **45%** of **women** and **34%** of **men** reported **two or more identity changes.**"
- <https://pubmed.ncbi.nlm.nih.gov/27873031/>
- Archive Link: <https://archive.md/ryUzA>

-
- **52% of gay-identified men and 61% of lesbian-identified women** indicated current **opposite sex attraction** and current or past **opposite sex behaviour**
<https://link.springer.com/article/10.1007/s10508-012-9921-y>
- Archive Link: <https://archive.md/UwID6>
-
- **Identifying as lesbian, gay, or bisexual** does not end **sexual questioning** or **confusion**
<https://psycnet.apa.org/record/2005-11757-004>
- Archive Link: <https://archive.md/jw6h9>
-
- **Gay men and lesbians can change** their **sexual orientation**
- <https://pubmed.ncbi.nlm.nih.gov/14567650/>
- Archive Link: <https://archive.ph/SXqoA>
-
- **Over the 10 years** of the study, **2/3 lgbt women changed** their **sexual orientation** at least once
- <https://psycnet.apa.org/doiLanding?doi=10.1037%2F0012-1649.44.1.5>
- Archive Link: <https://archive.ph/TgOyC>
-
- **67% of minority women changed** their **sexuality** in just **10 years**
- https://www.researchgate.net/publication/284427747_Sexual_Fluidity_Understanding_Women%27s_Love_and_Desire
- Archive Link: <https://archive.ph/bh7I5>
-
- **3% of heterosexuals** had **changed their sexual orientation during their life** compared to: **66% of bisexual men, 77% of bisexual women, 39% of gay men, 64% of lesbians**
- Also, it found that only **7% of heterosexual men** and **14% of heterosexual women** report more than a **small cumulative point shift** on some **dimension of sexual orientation** compared to: **90% of bisexual men, 52% of gay men, 91% of bisexual women** and **80% of lesbians**.
- <https://link.springer.com/article/10.1007/s10508-005-1795-9>
- Archive Link: <https://archive.ph/XtPip>
-
- **40% of FtMs** who had begun to **transition** report a **shift in sexual orientation**
<https://pubmed.ncbi.nlm.nih.gov/23307422/>
- Archive Link: <https://archive.ph/fJJm7>
-
- **During a 4 year long study, 30.6% of women** changed their **sexual orientation** at least once
- <https://pubmed.ncbi.nlm.nih.gov/32853048/>
- Archive Link: <https://archive.ph/OMxql>
-
- **"Sexual fluidity in attractions** was reported by **64% of women** and **52% of men**, with **49% of those women** and **36% of those men** reporting **sexual fluidity in sexual identity**

based on **experiencing changes in attractions**"

- <https://psycnet.apa.org/record/2017-01123-003>
- Archive Link: <https://archive.ph/gtqnZ>
-
- **"Sexual fluidity in attractions** was reported by **63% of females and 50% of males**, with **48% of those females and 34% of those males** reporting **fluidity in sexual orientation identity.**"
- <https://pubmed.ncbi.nlm.nih.gov/25378265/>
- Archive Link: <https://archive.ph/wp4CK>
-
- **In this longitudinal study of lgbt youth, 43% of gay/lesbian youth changed their sexual orientation and 85% of bisexual youth changed their sexual orientation**
- <https://pubmed.ncbi.nlm.nih.gov/16817067/>
- Archive Link: <https://archive.ph/KAmPW>
-
- In total, **32.9% MtF** reported a **change in sexual orientation** in contrast to **22.2% FtM transsexual persons.**
- <https://pubmed.ncbi.nlm.nih.gov/25299675/>
- Archive Link: <https://archive.ph/0NYFX>
-
- **"Before SRS, 54% of participants had been predominantly attracted to women and 9% had been predominantly attracted to men. After SRS, these figures were 25% and 34%, respectively."**
- <https://pubmed.ncbi.nlm.nih.gov/15803249/>
- Archive Link: <https://archive.ph/yU4Yu>
-
- **2.7% of heterosexuals are ex-homosexuals**
- <https://pubmed.ncbi.nlm.nih.gov/12585518/>
- Archive Link: <https://archive.md/xqE7K>
-
- Anne Fausto-Sterling suggests that the **prevalence of intersex** might be as high as **1.7%**; this claim **does not** take into account **medical conditions** that **clinicians do not recognize as intersex**. The **true prevalence of intersex** is seen to be about **0.018%**, almost **100 times lower** than Fausto-Sterling's estimate of 1.7%.
- <https://pubmed.ncbi.nlm.nih.gov/12476264/>
- Archive Link: <https://archive.ph/BVKXj>

-

- **Causes:**

- **Gender Nonconformity**

- **Gender nonconformity in childhood is significantly linked to homosexuality/bisexuality in adolescence**

- <https://pubmed.ncbi.nlm.nih.gov/28221049/>

- Archive Link: <https://archive.ph/9Bcs1>

-

- **Quantitative review of data found that childhood cross-sex-typed behavior is strongly predictive of adult homosexual orientation_**

- https://www.researchgate.net/publication/232563268_Childhood_Sex-Typed_Behavior_and_Sexual_Orientation_A_Conceptual_Analysis_and_Quantitative_Review

- Archive Link: <https://archive.ph/3d9Wd>

-

- **Boys who act feminine grow out to be homosexual confirmed by a 15 year long study of development of homosexuality**

- <https://www.taylorfrancis.com/chapters/edit/10.4324/9781315864150-11/sissy-boy-syndrome-development-homosexuality-richard-green-new-haven-ct-yale-university-press-1987-robert-kus>

- http://www.glbtagrchive.com/ssh/sissy_boy_syndrome_S.pdf

- Archive Link: <https://archive.ph/IQ9bN>

- **Molestation**

- **Nationwide study finds a positive correlation between childhood maltreatment and homosexuality. Lesbians and gay men report up to 4 times greater prevalence of sexual and physical abuse than heterosexuals.**

Also it found that “23% of homosexual or bisexual identity was due to childhood sexual abuse”

- <https://pubmed.ncbi.nlm.nih.gov/22976519/>

- Archive Link: <https://archive.ph/uuGZ8>

-

- **46% of gay men report having been homosexually molested in childhood compared to 7% of heterosexual men**

23% of lesbians report being homosexually molested in childhood compared to 1% of heterosexual women

- <https://pubmed.ncbi.nlm.nih.gov/11501300/>

- Archive Link: <https://archive.ph/3lgPe>

- **Homosexuals** are much **more likely** to have been **molested** as **children**
- **31.6%** of **gay men** were **molested** in **childhood**
- **38.6%** of **lesbians** were **molested** in **childhood**
- <https://www.semanticscholar.org/paper/Child-Molestation-and-Homosexuality-Cameron-Proctor/131f1da0eec33bf0594799df6ef37daafd103321>
- Archive Links: <https://archive.ph/aNKCK>
- <https://archive.ph/F7XPO>
-
- **36%** of **homosexuals** report being **sexually abused** in **childhood**
- **68.0%** of **gay men** and **66.7%** of **lesbian women** who had been **homosexually molested** reported **impact** on **sexual orientation**
- **52.9%** of **men** and **41.5%** of **women** reported **impact** from **heterosexual molestation**
- **Overall 54.4%** of the **sexually abused** reported that it **had an impact** on their **sexual orientation**
- That **amounts to** almost **20%** of **homosexuals** reporting that **childhood sexual abuse** **impacted** their **sexual orientation**
- <https://www.semanticscholar.org/paper/Gay-Men-and-Lesbian-Women-with-Molestation-History%3A-Steed-Templer/e14ce3d6640d92c00a1157dfd747880fda38ecbd>
- Archive Link: <https://archive.ph/DSs4g>
-
- **76%** of **native American lesbians** have **experienced childhood sexual abuse**
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4059821/>
- Archive Link: <https://archive.ph/2AWkp>
-
- **50.8%** of **homosexuals** report being **molested** in **childhood**
- <https://pubmed.ncbi.nlm.nih.gov/24483778/>
- Archive Link: <https://archive.ph/dTYbj>
-
- **Homosexuals** are over **3 times more likely** to have **history** of being **raped**
- <https://www.semanticscholar.org/paper/Is-the-Rape-Rate-Increasing-Cameron/c07227abae68ba1c80020a788e4b7111ae1ba8c2>
- Archive Link: <https://archive.ph/BQaNT>
-
- **47%** of **homosexuals** were **sexually abused** in **childhood**
- <http://europepmc.org/article/MED/19372529>
- Archive Link: <https://archive.ph/7MtUM>
-
- **35.5%** of **homosexuals** were **homosexually abused** in **childhood**
- <https://pubmed.ncbi.nlm.nih.gov/9127231/>
- Archive Link: <https://archive.ph/vx8Pu>
-
- **42.4%** of **lesbians** were **sexually abused** in **childhood**
- <https://pubmed.ncbi.nlm.nih.gov/9730361/>

- Archive Link: <https://archive.ph/umL9u>
-
- **When comparing CSA** (Childhood Sexual Abuse) of **homosexuals** and **CSA** of **heterosexual women**, we find that **80%** of **homosexuals** suffered "**severe**" sexual abuse compared to only **20%** of **heterosexual women** which display a more **positive correlation** between **CSA** and **homosexuality**
- <https://today.oregonstate.edu/archives/2008/dec/high-rates-childhood-sexual-abuse-contributing-factor-spread-hiv>
- Archive Link: <https://archive.ph/Jpfb>
-
- **A large study of homosexuals** found that **39.7%** were **sexually abused** in **childhood**
- <https://pubmed.ncbi.nlm.nih.gov/19367173/>
- Archive Link: <https://archive.ph/cbjv1>
-
- **35%** of **homosexuals** report being **sexually abused** in **childhood**
- <https://pubmed.ncbi.nlm.nih.gov/17506080/>
- Archive Link: <https://archive.ph/3m25o>
-
- **31.8 – 44.1%** of **LGBT individuals** reported **childhood sexual abuse**
- <https://pubmed.ncbi.nlm.nih.gov/15982145/>
- Archive Link: <https://archive.ph/5sm6M>
-
- **Victims of sister-sister incest** were more **depressed**, have an **unexpected/unplanned** pregnancy, and more likely than controls to be distant from the perpetrator-sister. They were also more likely to engage in **homosexual** activities, **prostitution**, and **masturbation**.
- <https://pubmed.ncbi.nlm.nih.gov/23924178/>
- Archive Link: <https://archive.ph/SE76A>
-

• Upbringing

- **Female homosexuality** and **bisexuality** (non heterosexuality) is **significantly correlated** with **absence of father figure** (identification, attraction and behaviour), and **male bisexuality** is **significantly correlated** with **father absence** (identification, attraction and behaviour), while **male homosexuality** is **significantly correlated** for **same sex behaviour** and **attraction** but not **identification**
- <https://pubmed.ncbi.nlm.nih.gov/30706463/>
- Archive Link: <https://archive.ph/wip/nDPKf>
-
- There's a **correlation** to be found between **bad parental relationships** and the **development of homosexual interests**
- <https://www.tandfonline.com/doi/abs/10.3109/00048677809159601?journalCode=ianp20>
- Archive Link: <https://archive.ph/v7BDq>

-
- **Data shows that parents can cause homosexuality** in their sons.
- "Notably, the combination of **overconcernedness of the mother** and **detachment & hypercriticism of the father** push the boy into **avoidance of "masculine" behaviour**, [...] leading to a **feeling of inferiority** because the boy **considers himself as lacking in manliness**. The **homosexual** urge is an **expression** of an **infantile longing for acceptance** to **counteract the loneliness** and **self-pity of not belonging**, and **must be seen as a specific neurotic manifestation.**"_
- <https://pubmed.ncbi.nlm.nih.gov/6742238/>
- Archive Link: <https://archive.ph/UINkP>
-
- **Children** who experience **parental divorce** are **less likely** to marry **heterosexually** than those growing up in intact families.
- Persons born in the **capital area** are **significantly less likely** to marry **heterosexually**, but **more likely** to marry **homosexually**, than their **rural-born** peers.
- **Heterosexual marriage** is **significantly linked** to having **young parents** and **small age differences between parents**.
- For men, **homosexual marriage** is **associated with** having **older mothers**, **divorced parents**, **absent fathers**, and **being the youngest child**.
- For women, **maternal death during adolescence** and **being the only or youngest child** or the **only girl in the family** **increases** the **likelihood of homosexual marriage.**_
- <https://pubmed.ncbi.nlm.nih.gov/17039403/>
- Archive Link: <https://archive.ph/P4EEe>
-
- According to one Finnish study among **130,000+ students**, **Transgender identity**, especially **non-binary identity**, is both **associated with being bullied** and **perpetrating bullying** even when a range of variables including **internal stress** and **involvement in bullying** in the opposite role are **taken into account**. This suggests that **bullying during adolescence** may serve as a mechanism of **maintaining heteronormativity**.
- <https://www.frontiersin.org/articles/10.3389/fpsyg.2020.612424/full>
- Archive Link: <https://archive.ph/mouqx>
-
- **A study of homosexual** college students found a pattern of **close mothers** and **distant fathers**.
- <https://pubmed.ncbi.nlm.nih.gov/14298100/>
- Archive Link: <https://archive.ph/o6rm0>
-
- ***Due to the overlap between categories, sources on same-sex parents causing homosexuality** have been placed in [Causing Homosexuality](#) instead of here.*
- **Pornography**
- The **more you watch porn**, the **more likely** you are to identify as **LGBT**, almost **35%** of

people who **watch porn several times a day** are **LGBT**

Meaning **LGBT** are **9 times more likely** to **watch porn several times a day**

Also **gay** and **bisexual** people report **lower stigma** associated with it

- <https://www.pinknews.co.uk/2019/02/28/more-porn-watch-more-likely-bisexual/>

- Archive Link: <https://archive.ph/DKRS0>

•

Porn can make you **bisexual** according to **xhamster**

<https://xhamster.com/blog/posts/934387>

- Archive Link: <https://archive.ph/JF3q8>

•

• **Association** between **porn** use and **sexual behaviours** is **statistically significant**

- <https://pubmed.ncbi.nlm.nih.gov/32081698/>

- Archive Link: <https://archive.ph/UOZmC>

•

• **Porn** significantly influences **sexual behaviours** people engage in

- <https://pubmed.ncbi.nlm.nih.gov/23621804/>

- Archive Link: <https://archive.ph/1OTm7>

•

• **Porn**, over time, has the ability to **alter sexual tastes** so that the **users believe** the **acquired tastes are natural**. Thus, **porn essentially rewires the brain with frequent use**, according to a study published in the Journal of Adolescent Health in 2000.

- <https://pubmed.ncbi.nlm.nih.gov/10904205/>

- Archive Link: <https://archive.ph/uymcK>

•

• Watching **porn** can cause **more mental health issues** in both men and women, these include **anxiety, depression, insecurity, and *body image issues*** (like gender dysphoria), **to name a few**.

- <https://pubmed.ncbi.nlm.nih.gov/22686172/>

- Archive Link: <https://archive.ph/RQiqw>

•

• **Homosexuals** are **significantly more likely** to engage in **masturbation**

<https://pubmed.ncbi.nlm.nih.gov/17333329/>

- Archive Link: <https://archive.ph/wip/tetbE>

•

Gay and **Bisexual** men watch **porn 2-3 times** more than **heterosexuals**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5842099/>

- Archive Link: <https://archive.ph/ZRHBv>

• **Gay** men **consume 2–3 times** more **SEM** (Sexually Explicit Media/Porn) **than heterosexual men**

<https://pubmed.ncbi.nlm.nih.gov/15451703/>

- Archive Link: <https://archive.ph/cLjFC>

•

- **Sexual/gender minority (i.e. gay, trans) women first view porn at a significantly younger age than heterosexual women**
- **Sexual/gender minority males have highest frequency of consuming porn out of all groups**
- <https://pubmed.ncbi.nlm.nih.gov/32169576/>
- Archive Link: <https://archive.ph/7fhxN>
-
- **"Post-exposure influence on behaviour included engagement in oral sex (48.3%), body tattoo (18.3%), having multiple sexual partners (11.6%) and homosexuality (5.0%)."**
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC5337276/>
- Archive Link: <https://archive.ph/tSHiu>
-
- **"Various changes of pattern of pornography use reported: switching to a novel genre of explicit material (46.0%), use of materials that do not match sexual orientation (60.9%) and need to use more extreme (violent) material (32.0%)"**
- https://www.researchgate.net/publication/333396450_Prevalence_Patterns_and_Self-Perceived_Effects_of_Pornography_Consumption_in_Polish_University_Students_A_Cross-Sectional_Study
- Archive Link: <https://archive.ph/YvT6f>

● Gender Dysphoria is Environmental

- **Trans people with dementia observed forgetting about their gender identity**
- <https://journals.sagepub.com/doi/full/10.1177/1363460719876835>
- Archive Link: <https://archive.ph/egBSq>
-
- **Gender dysphoria is 0% genetic for males in adulthood and barely only 11% genetic for females**
- <https://pubmed.ncbi.nlm.nih.gov/27507021/>
- Archive Link: <https://archive.ph/Fimn4>
-
- **Changes in someone with gender dysphoria's social environment can influence their gender related interests and behaviour, feelings of gender discomfort and gender identification**
- <https://pubmed.ncbi.nlm.nih.gov/21216800/>
- Archive Link: <https://archive.ph/MoYAp>
-
- **MRI scans indicate that MTF transexuals are either men aroused by the thought of possessing female genitalia or homosexuals who want to seduce straight men**
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3180619/>
- Archive Link: <https://archive.ph/LnwI6>
-
- **Transgender adolescents (TGAs) are 2.04 times as likely to experience sexual abuse, 1.84**

times as likely to experience **psychological abuse**, and **1.61 times** as likely to experience **physical abuse** when compared to cisgender adolescents (CGAs). 3 in 4 TGAs have been physically abused, 2 in 5 have been physically abused, and 1 in 5 have been sexually abused. “**Seventy-three percent** of TGAs reported **psychological abuse**, **39%** reported **physical abuse**, and **19%** reported **sexual abuse**. Compared with heterosexual CGAs, TGAs had **higher odds of psychological abuse** (odds ratio [OR] = 1.84), **physical abuse** (OR = 1.61), and **sexual abuse** (OR = 2.04). Within separate subgroup analyses, **transgender males and nonbinary adolescents** assigned female at birth had **higher odds** of reporting **psychological abuse** than CGAs.”

- <https://pmc.ncbi.nlm.nih.gov/articles/PMC8344346/>
- Archive Link: <https://archive.ph/Y1v48>

About **75%** of **MtF transsexuals** are autogynephiles - paraphiles who **wish to use feminising hormones** and **sexual reassignment surgeries** as vehicles to **act out on** their **deviant sexual fantasies**

- https://web.archive.org/web/20150210085402/http://www.annelawrence.com/autogynephilia_a_paraphilic_model_of_GID.pdf

-

- **Findings support transfamily theory:** that **trans/non-binary parents** can influence **gender expression** in (adopted) children.

- <https://pubmed.ncbi.nlm.nih.gov/36059766/>
- Archive Link: <https://archive.ph/PL2Mw>

-

- **Case report of trans person with dementia** having **changes** in **gender identity**

- <https://www.tandfonline.com/doi/abs/10.1080/19359705.2014.974475?journalCode=wglm20>

- Archive Link: <https://archive.is/TWGPi>

-

- **Between 2009 and 2016**, the number of **gender dysphoric females** in UK **increased** more than **70 times**

- <https://pubmed.ncbi.nlm.nih.gov/30195563/>

- Archive Link: <https://archive.ph/H4yHI>

-

- "A **13-year-old girl** was referred because of **sexual identity problems**. There was **no mental illness** or **neurological abnormalities**. As her **twin sister** had **no sexual identity problems**, it appears that **transsexualism** is **not transmitted by a simple genetic mechanism**."

- <https://pubmed.ncbi.nlm.nih.gov/1483176/>

- Archive Link: <https://archive.ph/c1j58>

-

- **More than 60%** of **transgender prisoners** only **started transitioning** after being **jailed**

- <https://www.thescottishsun.co.uk/news/scottish-news/10427371/trans-prisoners-transitioning-jailed-scotland/>

- Archive Link: <https://archive.is/u3imh>

-
- **The largest public school system in Maryland had a 582% increase in number of non-binary students in over just 2 years**
- <https://kutv.com/news/nation-world/number-of-non-binary-students-in-maryland-district-soars-by-582-data-shows>
- Archive Link: <https://archive.ph/Mhwa3>
-
- **Non-heterosexuals are more likely to not be gender conforming**
- <https://pubmed.ncbi.nlm.nih.gov/32356086/>
- Archive Link: <https://archive.ph/KHdwG>
-
- **Pimozide removed the desire to crossdress and mutilate genitals in a 'gender dysphoric' person (Aust NZ J Psychiatry, June 1996)**
- <http://www.ncbi.nlm.nih.gov/pubmed/8839957>
- Archive link: <http://archive.is/retCg>
-
- **Gender Identity Disorder is significantly associated with parental separation.**
- <https://www.semanticscholar.org/paper/The-Association-of-Gender-Identity-Disorder-with-Rekers-Swihart/773db03f0c6b1890695ef358e61e93e2211d206c>
-
- **People who profit don't care about the obvious health risks of transitioning:**
- **In 2021 sex reassignment market in US was worth 1.9 billion dollars, expected to reach 6 billion by 2030**
- <https://bioedge.org/gender/transgender/sex-reassignment-surgery-market-in-us-forecast-to-soar-to-us6-billion/>
-
- **Sex reassignment industry is projected to be worth 30 billion dollars by 2028**
- <https://web.archive.org/web/20230403092156/https://www.marketwatch.com/press-release/sex-reassignment-surgery-market-global-trends-market-share-industry-size-growth-opportunities-and-market-forecast-2022-to-2028-2023-02-07>
-
- **Trans-identifying people with dementia have been observed forgetting their transgender identity and identifying once again with their biological sex, often expressing dismay over their mangled bodies.** Meaning that a person's identity as their biological sex is immutable to the point that not even dementia can take it away, whereas transgender identity is fleeting and can easily be forgotten.
- <https://journals.sagepub.com/doi/full/10.1177/1363460719876835>
- <https://sci-hub.se/10.1080/19359705.2014.974475>
- Archive Links: <https://web.archive.org/web/20230804135324/https://journals.sagepub.com/doi/epdf/10.1177/1363460719876835>
-
- **"The number of referrals to a specialist gender identity unit in Spain increased 10-fold,**

from **18 in 2012** to **189 in 2021**. The **rates of increase** over time were **significantly more pronounced** for **adolescents** and **young adults** and **significantly greater** for those **assigned female at birth (AFAB)**. The **age of referrals at first visit decreased**, and **AFAB** individuals were on average **younger** than **individuals assigned male at birth**. The **assigned sex ratio** favoured **AFAB** patients among **adolescents (2.4:1)** and **young adults (1.75:1)**."

- <https://pubmed.ncbi.nlm.nih.gov/36763946/>
-
- Dutch study queried **young people six** times during their lives from **10 - 26 years** old. **78%** never had **gender discontentment** (gender dysphoria). **19%** had **gender discontentment**, which **decreased** over time, and only **2%** had **increasing gender discontentment**.
- <https://link.springer.com/article/10.1007/s10508-024-02817-5>
-
-

• **Desistance**

- In a study of **pre-pubertal male** and **female children** with **gender dysphoria** followed up approximately **10 years later**, with only **27%** of **children** with **gender dysphoria** who **remained gender dysphoric** at follow-up. Of those individuals who **no longer expressed gender dysphoria** at follow-up, a significant portion (**all female** and **half the male** participants) expressed a **non-heterosexual sexual orientation**.

- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4345542>
-

- **85%** of **children** with **gender dysphoria** **desist**

- <https://pubmed.ncbi.nlm.nih.gov/21216800/>
-

- **94%** of **boys** with **GID** **do not** have a **transsexual** outcome **as time passes**

- <https://psycnet.apa.org/record/2001-00699-005>

88% of **kids** with **gender dysphoria** **desist** and **grow out** of it as they **get older**

<https://pubmed.ncbi.nlm.nih.gov/33854450/>

Gender dysphoria in **childhood** does **not inevitably continue** into **adulthood**, and only **6% – 23%** of **boys** and **12% – 27%** of **girls** treated in **gender clinics** showed **persistence** of their **gender dysphoria** into **adulthood**

- <https://www.ncbi.nlm.nih.gov/pubmed/25231780>
-

- **About 88%** of **children** who have **gender dysphoria** **do not hold** those **beliefs** when they **grow older**

- <http://www.npr.org/templates/story/story.php?storyId=90229789>
-

- **Only 12%** of **boys** who believe they are **transsexuals** still believe so when they are **older**

- <http://www.ncbi.nlm.nih.gov/pubmed/18194003>

-
- **Only 2.5% – 20%** of all cases of **GID** (Gender Identity Disorder) in **childhood** and **adolescence** are the **initial manifestation** of **long-term transsexualism**
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2697020/#!po=45.0000>
-
- **98%** of **boys** with **gender dysphoria** **grow out** of it
- <https://www.taylorfrancis.com/chapters/edit/10.4324/9781315864150-11/sissy-boy-syndrom-e-development-homosexuality-richard-green-new-haven-ct-yale-university-press-1987-robert-ku>
-
-

● Relationships & Sexual Behavior

- **Gay** men are more likely than **heterosexual men** to become **sexually active** at a **younger age** (**12.7** years old compared to **15.7** years old for **straight** men). For **lesbians**, it is **15.4** years old compared to **16.2** years old for **heterosexual females**
- <https://www.sciencedirect.com/science/article/abs/pii/S1056499318305492>
-
- "**LGB youth** were **approximately twice as likely** as other youth to **report lifetime sexual behavior**. Prevalence of non-heterosexual identities increased over time for both sexes, but only female youth reported significantly more same-sex behavior over time."
- <https://link.springer.com/article/10.1007/s10508-019-1404-y>

● Promiscuity/Instability

- **Same-sex couples** are **significantly more likely** to **break up** than **different-sex couples**.
- **Same-sex couples** are **significantly more unstable** than **different-sex couples**, and the **gap** in **stability** **increases** when they **have kids**
- https://www.researchgate.net/publication/334189730_Stability_Rates_of_Same-Sex_Couples_With_and_Without_Children
- Archive Link: <https://archive.ph/ASHfd>
-
- **Homosexuals** are much **more likely** to **not** have a **stable relationship**.
- **86%** of **LGBT 18 – 24 year olds** have started a **new** relationship **last year** compared to only **56%** of **heterosexual men** and **34%** of **heterosexual women**.
- **72%** of **LGBT 35 – 39 year olds** have started a **new** relationship **last year** compared to only **21%** of **heterosexual men** and **10%** of **heterosexual women**.
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3334840/>
- Archive Link: <https://archive.ph/V2Exr>
-
- The average **gay** man has **4** partners **every year** and **25%** of **gay** men have **13+** partners

every year. An average **heterosexual** man has **6** partners in his **ENTIRE LIFE**. Average **gay** man has **more partners** in **2 years** than a **heterosexual** man has in a **lifetime**

- [https://www.researchgate.net/publication/242778654 Evidence for change findings from the National Gay Men%27s Sex Survey 1998](https://www.researchgate.net/publication/242778654_Evidence_for_change_findings_from_the_National_Gay_Men%27s_Sex_Survey_1998)

https://www.cdc.gov/nchs/nsfg/key_statistics/n-keystat.htm

- Archive Links: <https://archive.ph/IFYWN>
- <https://archive.ph/G8Fjn>

While **heterosexual women** have an **average** of **4** partners in their **lifetime**, and **heterosexual men** have an **average** of **6** partners in their **lifetime**, **homosexuals** have an **average** of **22** partners in their **lifetime**

- https://www.cdc.gov/nchs/nsfg/key_statistics/n-keystat.htm
- https://www.researchgate.net/figure/Number-of-lifetime-and-last-year-same-sex-partners-reported-by-men-with-respect-to_tbl1_267929896

- Archive Links: <https://archive.ph/G8Fjn>
- <https://archive.ph/UZZwK>

In the last 12 months, over **25%** of **homosexual** men had over **10** partners (Australia, 2014)

- https://www.researchgate.net/figure/Number-of-lifetime-and-last-year-same-sex-partners-reported-by-men-with-respect-to_tbl1_267929896

- Archive Link: <https://archive.ph/UZZwK>

• **69%** of **homosexuals** have **more** than **10** partners in a **lifetime** and **38%** have **50+** partners in a **lifetime**, while only **28%** of **heterosexual** men had over **15** partners in a **lifetime**

- https://www.researchgate.net/figure/Number-of-lifetime-and-last-year-same-sex-partners-reported-by-men-with-respect-to_tbl1_267929896

- https://www.cdc.gov/nchs/nsfg/key_statistics/n-keystat.htm

- Archive Links: <https://archive.ph/UZZwK>

- <https://archive.ph/G8Fjn>

• In **Europe**, the **average** person has about **6** partners in their **lifetime** compared to **homosexual** men who have an **average** of **31** partners in their **lifetime**

- <https://pubmed.ncbi.nlm.nih.gov/14696706/>

- <https://onlinedoctor.superdrug.com/whats-your-number/>

- Archive Links: <https://archive.ph/jHnfW>

- <https://archive.ph/iElff>

• **73%** of **gay** men have **10+** partners in a **lifetime**

- <https://www.jstor.org/stable/44970113>

- Archive Link: <https://archive.ph/vtnrV>

56% of **men** had only **1** partner in the **last 12 months** compared to **28%** of **homosexual** men.

- **31%** of **homosexual** men had **4+** partners in the **last 12 months** compared to only **11%** of **heterosexual** men.

- **11% of lesbians** had **4+** partners compared to **4%** of **heterosexual** women.
- <https://contexts.org/blog/an-unequal-distribution-of-partners-gays-versus-straight/>
- Archive Link: <https://archive.ph/5P22z>
-
- In the **last 5 years**, only **15%** of **homosexuals** have had **1** partner compared to **62%** of **heterosexuals**
- **35%** of **homosexuals** have been reported having **10+** partners compared to only **6.3%** of **heterosexuals**
- **40%** of **homosexuals** do **not live with a partner** or are in a **steady relationship** compared to only **17%** of **heterosexuals**
- **Homosexuals** have an **average** of **3** times **more** partners and mean **average** about **7** times **more** partners
- <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3149-z>
- Archive Link: <https://archive.ph/hB3ey>
-
- **Gay males** are more likely than **heterosexual males** to **become sexually active at 12 younger age (12.7 vs. 15.7 years)** and to have had **multiple sexual partners**. The same is true for **lesbians** and **heterosexual females (15.4 vs. 16.2 years)**
- <https://www.sciencedirect.com/science/article/abs/pii/S1056499318305492>
- Archive Link: <https://archive.ph/b506>
- **Male homosexual monogamy is a myth**
- <https://web.archive.org/web/20171209005443/https://advindicate.com/articles/3022>
-
- **MSM** have **longer periods of partnership acquisition**, a **higher prevalence of partnership concurrency**, and **more age-disassortative mixing than heterosexuals**. These factors likely help explain higher HIV/STI rates among MSM, despite higher levels of condom use.
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3334840/>
- Archive Link: <https://archive.ph/V2Exr>
-
- **"Most MSM (69.9%) reported at least one female partner in their lifetime**
- **Similar proportions of MSM and MSEW (men who have sex exclusively with women) - one in five - reported at least one new female partner in the past year."**
- <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3149-z>
- Archive Link: <https://archive.ph/hB3ey>
-
- **Homosexuals** have **more partners** and are **more likely to smoke, drink, be single or not live with their partner**
- <https://srh.bmj.com/content/45/2/138>
- Archive Link: <https://archive.is/Y66Dk>
-
- **Monogamy is not a central feature** of most **homosexual relationships**
- <https://www.tandfonline.com/doi/abs/10.1080/00918360903445962>

-
- **Only 14% of gay men are strictly monogamous**
- <https://www.aidsmap.com/news/dec-2015/australian-survey-finds-less-third-gay-men-have-committed-relationships-just-one>
-
- **8% of heterosexual men, 14% of gay men, 34% of bisexual men report non consensual non-monogamy**, by contrast, **3% of heterosexual men, 33% of gay men, 23% of bisexual men, and 24% of “other” men report open relationships**
- About **7% of heterosexual women, 6% of lesbians, 12% of bisexual women reported non consensual non-monogamy**, by contrast, **2% of heterosexual women, 5% of lesbians, 22% of bisexual women, and 8% of “other” women reported open relationships**
- **Overall prevalence of open relationships: 2% of heterosexual participants, 33% of gay participants, 5% of lesbian participants, 22% of bisexual participants, and 14% of those who reported “other” sexualities.**
- <https://pubmed.ncbi.nlm.nih.gov/29696552/>
-
- In Australia **25% of gays have had more than 100 sex partners and 10% of them lose count**
- <https://archive.is/F4SYW>
-
- **41% of gay men don’t have relationships with a partner.**
- Among those who **have a relationship with 1 partner**, about **25% of those relationships are less than 1 year old.**
- Among **gay men**, only **12% have been in a relationship with a partner for longer than 5 years**
- https://www.researchgate.net/publication/242778654_Evidence_for_change_findings_from_the_National_Gay_Men%27s_Sex_Survey_1998
-
- **Over 50% of gay men in Britain say they cheated on their partner** (while only **75% of gay men think blowjobs and handjobs are considered cheating**)
- <https://www.metroweekly.com/2018/02/surprising-number-gay-men-say-theyve-cheated-partner>
-
-
- If you deny promiscuity isn’t wrong morally:
- The more **partners** you have, the **more likely** you are to have **cancer**, to **smoke**, **drink**, and have a **long lasting illness**
- <https://www.reuters.com/article/us-health-cancer-sexual-history/high-lifetime-number-of-sexual-partners-linked-to-increased-cancer-risk-idUSKBN207313>
-
- Overall, **bisexual or lesbian women** have significantly **higher prevalence of physical or sexual abuse** than heterosexual or unsure adolescents.
- **Bisexual or lesbian women** are the **most likely** to have **engaged in prostitution** during

the previous year

- <https://pubmed.ncbi.nlm.nih.gov/10379429/>
-
- **LGBTQ males** may be a group **most** at risk of engaging in **hypersexual behavior**, and **LGBTQ females** are at a higher risk of engaging in **hypersexual activities** due to **coping** problems
- https://www.researchgate.net/publication/324482474_Hypersexuality_Gender_and_Sexual_Orientation_A_Large-Scale_Psychometric_Survey_Study

• **Separation**

- **Longitudinal study of couples** found that **homosexuals** are significantly **more likely** to **break up** (50% more likely (14.6% vs 22.5%))_
- <https://psycnet.apa.org/record/2006-05307-018>
-
- **Married homosexuals** are **significantly more likely** to **divorce** than **heterosexuals** finds large Norwegian study
- <https://onlinelibrary.wiley.com/doi/abs/10.1111/jomf.12132>
-
- In 2000, **married homosexuals** were **40% more likely** than **straight couples** to **divorce**
- <https://archive.nytimes.com/well.blogs.nytimes.com/2013/07/01/gay-marriage-same-but-different/>
-
- **Lesbian couples** are **3 times more likely** to **divorce** than **straight couples**
- http://www.uni-koeln.de/wiso-fak/fisoz/conference/abstracts/a_andersson.pdf

• **Domestic Abuse**

- **LGBT relationships** results in **higher rates** of domestic **abuse and violence**
- <https://www.sciencedirect.com/science/article/abs/pii/S1359178997000542>
-
- **Same-sex couples** have a **higher risk** of **domestic abuse**
- <https://news.northwestern.edu/stories/2014/09/domestic-violence-likely-more-frequent-for-same-sex-couples>
-
- **90%** of **lesbians** report **psychological abuse** by **their partner** and **31%** **physical abuse**_
- <https://www.ojp.gov/ncjrs/virtual-library/abstracts/letting-out-secret-violence-lesbian-relationships>
-
- **Over 50%** of **gay men** and almost **75%** of **lesbian women** reported they were **victims** of **intimate partner violence**
- <https://stacks.cdc.gov/view/cdc/12362>

-
- **“Sexual violence within lesbian relationships was found to be as high as 55%”**
- https://en.m.wikipedia.org/wiki/Domestic_violence_in_lesbian_relationships#:~:text=Sexual%20violence%20within,men.%5B14%5D

-
- **52% of homosexuals report sexual abuse**
- <https://www.ojp.gov/ncjrs/virtual-library/abstracts/sexual-coercion-gaylesbian-relationships-descriptives-and-gender>

90% of lesbians report psychological abuse by their partner

- http://works.bepress.com/carolyn_west/12/

-
-

<https://www.semanticscholar.org/paper/Victimization-and-Perpetration-Rates-of-Violence-in-Waldner-Haugrud-Gratch/90386b013e1825b39e88a3ff0a8f2c87157c4daf>

-
- **48% of lesbians report physical abuse in their relationships**
- <https://www.proquest.com/openview/28f4c693eb759d2dd9e8a7f8c7b31e2a/1?pq-origsite=scholar&cbl=18750&diss=y>

-
- **26% of gay and 37% bisexual men experience intimate partner violence at some point in their lifetime.** Also, across 6 large school districts, **19-29% of gay and lesbian students and 18-28% of bisexual students** across the sites experienced **dating violence** in the prior year

- <https://www.cdc.gov/msmhealth/suicide-violence-prevention.htm>

-
- **People with a history of same-sex relationships are significantly more likely to experience verbal, controlling, physical, and sexual IPV (Intimate Partner Violence)**

- <https://journals.sagepub.com/doi/abs/10.1177/0886260510383023?journalCode=jiva>

-
- **Homosexual men are more likely to have been abused by their partners than straight men**

- **Lesbians are 2 times as likely as straight women to be stalked or physically abused by their partners**

- <https://www.ncjrs.gov/txtfiles1/nij/181867.txt>

-
- **1 in 4 victims of intimate partner violence are within relationships of lesbian, gay, bisexual, transgender or queer identifying people**

- **1 in 4 bisexual women will experience sexual violence**

- **2 in 5 gay men will be sexually abused**

- **About 30% of abused and neglected children will later abuse their own children**

- <https://centerforfamilyjustice.org/community-education/statistics/>

-

- **The National Violence Against Women (NVAW)** survey found that **homosexuals in gay relationships** are **3 times more likely** to have **experienced abuse in the relationship** and **35.4% of lesbians** reported a history of **physical abuse** by their **partner**, about **2 times** as much as **heterosexuals**

- <https://stacks.cdc.gov/view/cdc/21858>

-

- [REDACTED]

- [REDACTED] female partner

- https://www.tandfonline.com/doi/abs/10.1300/J079v15n01_03

-

- [REDACTED]

[REDACTED], found that:

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED].

- [REDACTED]

heterosexual men

- <https://www.ojp.gov/pdffiles1/nij/181867.pdf>

-

- [REDACTED]

[REDACTED] time of the study

- <https://connect.springerpub.com/content/sgrvw/6/2/121>

-

• Same-sex Parenting

- Compared with **different sex couples**, **children** raised by **same-sex couples** are **35 % less likely** to make **normal progress through school**, this difference is **statistically significant**

- <https://pubmed.ncbi.nlm.nih.gov/23161454/>

-

- **Children with same-sex parents** experience **significantly lower autonomy** and **higher anxiety** and are **over 3 times more likely** to report **same sex attraction (7.5% vs 23.2%)**

<https://www.researchgate.net/publication/314797679> **The Unexpected Harm of Same-Sex Marriage A Critical Appraisal Replication and Re-Analysis of Wainright and Paterson's Studies of Adolescents with Same-Sex Parents**

-

- **23%** of those with **lesbian parents** reported having been **touched sexually** by a **parent or adult**, compared to **2%** of those raised in a **biological family**.

- **31%** of those raised by **lesbian parents**, and **25%** of those raised by **gay parents**, reported being **forced to have sex against their will** at some point, compared to just **8%** of

10% identified as **bisexual**

- <https://www.ojp.gov/ncjrs/virtual-library/abstracts/last-secret-daughters-sexually-abused-mothers-0>

-

- **Children of same sex parents** are more than **2 times more likely** to suffer from **ADHD** https://www.researchgate.net/publication/276329300_Child_Attention-Deficit_Hyperactivity_Disorder_ADHD_in_Same-Sex_Parent_Families_in_the_United_States_Prevalence_and_Comorbidities

-

- **Based off of teachers reports, children from lesbian families** experience **significantly more general problems**, specifically **2 times more attention problems** compared with **children from heterosexual households**

- <https://pubmed.ncbi.nlm.nih.gov/16180285/>

-

- **12%** of kids raised by **lesbian parents** and **24%** of those raised by **gay parents** reported having **recently contemplated suicide**, compared to only **5%** raised by an **biological family or a single parent**.

- **19%** of those raised by **same sex parents** were **currently or recently receiving psychotherapy**, compared to **8%** of those raised by their **heterosexual parents**.

- **40%** of those raised by **lesbian parents** and **25%** raised by **gay parents** reported **cheating on their partner**, compared to **13%** of those raised by their **biological parents**.

- **28%** of **kids** raised by **lesbian parents** and **20%** of those raised by **gay parents** reported being **currently unemployed**, compared to **8%** raised by a **biological family** and **13%** raised by a **single parent**.

- **20%** of those raised by **lesbian parents** and **25%** of those raised by **gay parents** reported having **contracted an STD**, compared to **8%** of those raised by their **biological parents**.

- **39%** of those raised by **lesbian parents** and **29%** of those raised by **gay parents** reported **identifying as non-heterosexual** compared to only **10%** of those raised by a **biological family**

- <https://pubmed.ncbi.nlm.nih.gov/23017845/>

-

- Children of **same sex marriage and same sex cohabiting** were **significantly worse off** in terms of **emotional problems, school performance, attention deficit disorders (and some more)** than children of different sex married parents

- <https://pubmed.ncbi.nlm.nih.gov/33897050/>

-

-

- **Claims that gay parents are just as capable of raising children** as straight parents are **misrepresented**

- <http://www.jstor.org/stable/2657413>

-

- **Children of lesbian parents** have **significantly worse gender development** (boys less masculine, girls less feminine), and **kids of gay parents** have **overall net worse gender development** than **kids of heterosexuals**

- <https://pubmed.ncbi.nlm.nih.gov/27416364/>
-
- Even though **2%** of **parents practise homosexuality**, they account for **46%** of the **recently reported parent-child perpetrators**.
- <https://web.archive.org/web/20170803011049/http://www.familyresearchinst.org/2014/04/frr-mar-2014-are-gay-parents-more-apt-to-commit-incest/#fn:1>
-
- **38.8%** of **female children of lesbian parents** saw themselves as part of **queer community** and **30%** of **male children of lesbians** did so too; they reported that their **parents influenced** their **attitudes towards homosexuality** and **gender roles**.
- **42%** **described challenges** relating to their **ability to trust** other people.
- <https://pubmed.ncbi.nlm.nih.gov/18194035/>
- Archive Link: <https://archive.ph/wip/G5ZdQ>
-

• Causing Homosexuality

- [REDACTED]
- [REDACTED] themselves
- https://www.researchgate.net/publication/336288130_Knowing_what_we_don't_know_A_meta-analysis_of_children_raised_by_gay_or_lesbian_parents
- <https://archive.ph/rmwVW>
- [REDACTED]
- [REDACTED]:
- <https://pubmed.ncbi.nlm.nih.gov/20642872/>
- <https://archive.ph/KZTop>
- [REDACTED]
- [REDACTED] **LGBT**
- <https://www.nbcnews.com/feature/nbc-out/adult-children-lesbian-parents-less-likely-identify-straight-study-finds-n989976>
- <https://archive.ph/PSIQB>
- [REDACTED] **lifestyle**
- <https://pubmed.ncbi.nlm.nih.gov/16613625/>
- <https://archive.ph/Bz6jv>
- [REDACTED] and grow out
- to be homosexual
- <https://psycnet.apa.org/record/1996-01705-001>
- <https://archive.ph/SCNhF>

-
- [REDACTED]
- [REDACTED] themselves
- https://www.researchgate.net/publication/45274042_Children_of_homosexuals_more_apt_to_be_homosexuals_A_reply_to_Morrison_and_to_Cameron_based_on_an_examination_of_multiple_sources_of_data
- <https://archive.ph/wfVH1>
-
- [REDACTED]
- [REDACTED] sexual experiences
- <https://pubmed.ncbi.nlm.nih.gov/30888553/>
- <https://archive.ph/auwg5>
-
- [REDACTED]
- [REDACTED]
- <https://www.tandfonline.com/doi/abs/10.1080/00918369.2022.2086750?journalCode=wihm20>
- <https://archive.ph/WT9EY>
-
- [REDACTED]
- [REDACTED] at the time
- <https://www.semanticscholar.org/paper/Sexual-Orientation-of-Adult-Sons-of-Gay-Fathers-Bailey-Bobrow/a62c668264abea0e88161cfe7a1627937d1371f5>
- <https://archive.ph/dAJP4>
-
- [REDACTED]
- [REDACTED]
- [REDACTED] "
- <https://journals.sagepub.com/doi/abs/10.1177/1097184X18775462>
-

• Trans

- At follow-up, **12%** were judged to have **GID** or **gender dysphoria**. Regarding **sexual orientation**, **32%** were classified as **bisexual/homosexual** in **fantasy**, and **24%** were classified as **bisexual/homosexual** in **behaviour**
- <https://www.ncbi.nlm.nih.gov/pubmed/18194003/>
- Archive Link: <https://archive.ph/sh9Jj>
-
- **Brain structures** of **adolescents** with **gender dysphoria** are **in accordance** with **brains** of their **natal sex**
- <https://pubmed.ncbi.nlm.nih.gov/25720349/>

-
- **Transsexuals** have **higher rates** of **drug** and **alcohol abuse**, **prostitution**, **incarceration**, **unemployment**, **homelessness** and **suicide attempts** than **normal people**
- <http://www.cdc.gov/hiv/group/gender/transgender/>

Transsexuals are **4 times more likely** to live in extreme **poverty** than the general population
http://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf#page=8

Transsexuals are **twice** as **likely** to be **unemployed** as the general population
http://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf#page=9

-
- *The Corrosive Impact of Transgender Ideology*, by Joanna Williams
<https://www.civitas.org.uk/content/files/2454-A-The-Corrosive-Impact-of-TI-ppi-110-WEB.pdf>
- Archive Link:
<https://web.archive.org/web/20230413070218/https://www.civitas.org.uk/content/files/2454-A-The-Corrosive-Impact-of-TI-ppi-110-WEB.pdf>
-
- **Against** the **normalisation** of **gender dysphoria**
- <https://thelibertarianrepublic.com/the-case-against-normalizing-gender-dysphoria/>
-
- **Trans issues** and **later life**
- https://www.ageuk.org.uk/globalassets/age-uk/documents/factsheets/fs16_trans_issues_and_later_life_fcs.pdf
-
- **Male to female transgenders**, as shown by **brain comparisons**, have **male brains**, not female brains
- <https://pubmed.ncbi.nlm.nih.gov/21467211/>
-
- **Non-white transsexuals** are **4 times** as **likely** to be **unemployed** as the general population
- http://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf#page=9
-
- **Transsexuals** are **twice** as **likely** to be **homeless** as **cisgendered** people
- http://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf#page=10
-
- **1 in 5 transsexuals** have been **homeless** at least **once** in their **lives**
http://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf#page=10
-
- **44%** of **transsexuals** with a **job** are **underemployed**
- <https://www.hrc.org/press-releases/transgender-workers-at-greater-risk-for-unemployment-and-poverty>
-
- **Only 21%** of **transsexuals** can **successfully pass** as the **opposite gender** (2010)
- https://web.archive.org/web/20180508101320/http://www.thetaskforce.org:80/static_html/do

[wnloads/reports/reports/ntds_report_on_health.pdf](#)

-
- **1 in 2 transgender** individuals will **experience sexual violence**
- <https://centerforfamilyjustice.org/community-education/statistics/>
-
- **16%** of **transsexuals** have been sent to **jail** or **prison**, compared to **2.7%** of the general population
- https://web.archive.org/web/20170117112828/http://www.avp.org/storage/documents/Training%20and%20TA%20Center/FORGE_Trans_People_Police_Incarceration_Facts.pdf
-
- **20% – 40%** of **homeless children** are **transsexuals**
- <https://www.americanprogress.org/issues/lgbt/news/2010/06/21/7980/gay-and-transgender-youth-homelessness-by-the-numbers/>
-
- **Transgender**s are **2.5 times more likely** to use **cocaine** or **meth**.
- <https://www.addictioncenter.com/addiction/lgbtq/>

• **Health**

• **STDs**

- According to the **CDC**, overall **42%** of **transgender**s have **HIV currently** according to **research** done in **7 large US cities (2019-2020)**
<http://www.cdc.gov/hiv/group/gender/transgender/>
-
- Overall **28%** of **transgender**s have **HIV** according to a **systematic review** of **literature**
<https://link.springer.com/article/10.1007/s10461-007-9299-3>
-
- **Transgender**s are much **more likely** to have **HIV**.
- **Male to female transgender**s in **South America** are up to **95 times more likely** to have **HIV** than the general population.
- **Female to male transgender**s are up to **7 times more likely** to have **HIV** globally.
- <https://www.aidsmap.com/news/mar-2013/meta-analysis-shows-massive-global-burden-hiv-among-transgender-women>
- <https://www.aidsmap.com/news/mar-2022/trans-women-66-times-more-likely-have-hiv-trans-men-nearly-7-times-more-likely-global>
- <https://www.aidsmap.com/news/mar-2020/unique-transgender-vulnerabilities-require-tailored-and-specific-interventions>
-
- One **literature review** one found that:
- **47%** of **transgender**s report **binge drinking** within the past **3 months**

- For comparison, **binge-drinking** within the **general US population** is only around **17.1%**.
- **34.9%** of **transgender adults** report the **current use of cigarettes** despite only **22.4%** of **cisgender adults** reporting the same.
- **transgender individuals** are **more than 4 times as likely** to use **e-cigarettes** than **cisgender individuals**
- **Transgender individuals** are **more than twice as likely** to report **lifetime prevalence of marijuana addiction** than **cisgender individuals**
- <https://pubmed.ncbi.nlm.nih.gov/34444595/>
-
- According to the **American Heart Association (2019)**, **transgender men** are up to **four times more likely** to suffer from **myocardial infarctions**, also known as **heart attacks**, than **cisgender men**.
- <https://pubmed.ncbi.nlm.nih.gov/30950651/>
-
- **Transsexuals** are **four times more likely** than the average person to be infected with **HIV (2010)**
- https://web.archive.org/web/20140310021000/http://www.nbcnews.com/id/40279043/ns/health-health_care/
-

• **Mental Health**

- Rates of associated **psychopathology** in **children with GID** are **comparable** with those in **children with other psychiatric disorders**
- <https://pubmed.ncbi.nlm.nih.gov/9204664/>
-
- **29.6%** of **transgenders** have **dissociative identity disorder** (formerly multiple personality disorder)_
- <https://pubmed.ncbi.nlm.nih.gov/25656174/>
-
- A report on a **British transgender centre** found that **about 33%** (1 in 3) of the kids **referred to the transgender centre had autism**
- <https://cass.independent-review.uk/publications/interim-report/>
-
- **Transsexuals** are **more likely** to have **autism** than the general population
- <http://link.springer.com/article/10.1007/s00787-005-0469-4>
-
- **23.7%** of all **transgenders** have **diagnosed autism**, and **transgenders** are over **6 times more likely** to have **autism** than general population
- <https://www.nature.com/articles/s41467-020-17794-1>
-
- **22.5%** of **transgenders** have been diagnosed with **autism**
- https://www.researchgate.net/publication/320197131_Trans_Pathways_the_mental_he

[alth experiences and care pathways of trans young people Summary of results](#)

-
- **1 in 4 transgenders** have been diagnosed with **autism**
- <https://pubmed.ncbi.nlm.nih.gov/30392631/>
-
- **26% of transgenders** have been diagnosed with **autism**
- <https://pubmed.ncbi.nlm.nih.gov/31732891/>

Transgenders are **more likely** to have **autism**

- <https://pubmed.ncbi.nlm.nih.gov/25744543/>
-
- **High levels of narcissistic rage** are present in **non-homosexual, autogynephilic MtF transsexuals** - this explains why transgenders often furiously lash out at those who criticise their fetish or refuse to coddle them in their delusions
- http://www.annelawrence.com/shame_&_narcissistic_rage.pdf
-
- **53% of mothers of transsexual children** have **Borderline Personality Disorder**, compared to only **6% of mothers of normal children**
- <http://www.ncbi.nlm.nih.gov/pubmed/2016237>
-
- **In Finland, 75% of kids in clinic for gender dysphoria** suffer from a **psychopathology** separate of **gender dysphoria**
- <https://pubmed.ncbi.nlm.nih.gov/25873995/>

In **Finnish clinics**, among **kids with gender dysphoria**, **26% have autism**, **55% have depression** and **53% have anxiety**

<https://pubmed.ncbi.nlm.nih.gov/25873995/>

-
- In this sample, **half of kids with gd had autism**
- <https://www.tandfonline.com/doi/abs/10.1080/13854046.2024.2331272>

Transsexuals are several times **more likely** than **normal people** to have **schizophrenia**

<http://www.hindawi.com/journals/schizort/2014/463757/>

-
- **42% percent of the patients treated for GID** were **diagnosed** with **one or more personality disorders**
- <https://pubmed.ncbi.nlm.nih.gov/15865950/>
-
- **Gender dysphoric people** have **elevated rates** of **antisocial personality**
- **Gender dysphoria** is also **strongly associated** with a **range of psychopathologies** and **family dissatisfactions**
- <https://pubmed.ncbi.nlm.nih.gov/19937374/>
-

- **Over 70% of transgender adolescents have ASD, ADHD and other mental disorders.**
- **"Diagnoses for children and adolescents were attention deficit disorders (transfeminine 15%; transmasculine 16%) and depressive disorders (transfeminine 49%; transmasculine 62%), respectively. For all diagnostic categories, prevalence was several-fold higher among TGNC youth than in matched reference groups"**
- <https://pubmed.ncbi.nlm.nih.gov/29661941/>
-
- **Transgenders and non-binary people were more likely to be associated with bullying and aggressive behaviours than the contrary. This is due to constant vigilance and anticipation of being victimised through the development of hostile or depressive attribution bias thus predisposing transgender youth to detect victimisation by their peers where none was actually intended**
- <https://www.frontiersin.org/articles/10.3389/fpsyg.2020.612424/full#h4>
-
- **A survey of 550K people found rates of ADHD, autism, schizophrenia and more to be significantly higher in non-cis people than cis people. 30% of non-cis respondents were autistic**
- <https://aella.substack.com/p/the-mental-illness-gap-between-cis>
-
- **1/3 transsexuals are being treated for mental health**
- <http://www.medicaldaily.com/transgender-people-more-likely-develop-depression-and-anxiety-247044>
-
- **A 30 year review of literature found that transsexualism is a variant of borderline pathology** <https://pubmed.ncbi.nlm.nih.gov/6389823/>
-
- **As the 2014 National Transgender Discrimination Survey found, those who "wanted" hormone treatment, but had not had it, had a lifetime suicide attempt rate of 40%. Those who "have had it" had a suicide attempt rate of 45%. In every category, those with the lowest suicide attempt rate were those who "do not want it", i.e., those who had not fully embraced medical transition. The 2014 study's "Do Not Want It" data was promptly removed (not replaced — removed) by a 2019 update of the same study.**
- <https://escholarship.org/uc/item/8xg8061f>
- The aforementioned 2019 update:
- <https://williamsinstitute.law.ucla.edu/wp-content/uploads/Suicidality-Transgender-Sep-2019.pdf>
-
- **60% of gender-referred adolescents have a psychiatric diagnosis during adolescence. Rates of psychiatric symptoms in gender-referred adolescents are comparable with those in children with other psychiatric disorders, meaning there is no reason to suggest that gender dysphoria is something different from mental illness.**
- <https://www.sciencedirect.com/science/article/pii/S0165178122004875>

- **Gender-referred adolescents** show **substantially higher psychiatric morbidity** than **controls** both **before (45.7% vs. 15.0%)** and **≥2 years after referral (61.7% vs. 14.6%)**. Psychiatric needs were **higher in post-2010 cohorts (47.9% vs. 15.3% and 61.3% vs. 14.2%)**. Among those undergoing **gender reassignment surgery**, morbidity **increased** during follow-up (**9.8% to 60.7% in feminising; 21.6% to 54.5% in masculinising**), raising concerns about current pathways. <https://onlinelibrary.wiley.com/doi/10.1111/apa.70533>

- **Transsexuals college students** are **5 times more likely** than **all students** to have an **eating disorder**, and **30 times more likely** than **straight men** to have **eating disorders**

- <https://www.jahonline.org/article/S1054-139X%2815%2900087-7/fulltext>

- **44% of transsexuals** show signs of **clinical depression**

- <http://www.medicaldaily.com/transgender-people-more-likely-develop-depression-and-anxiety-247044>

- **85% of transsexuals** show signs of **psychological distress** or have been **recently treated** for **mental health**

- <http://www.medicaldaily.com/transgender-people-more-likely-develop-depression-and-anxiety-247044>

- **78% of transgender** college students **meet the criteria** for **mental illness**

- <https://pubmed.ncbi.nlm.nih.gov/31427032/>

- **70% of transgenders** were/are **diagnosed** with **mental illness**

- <https://pubmed.ncbi.nlm.nih.gov/23869030/>

- **58% of transgenders in US** currently have at least **1 diagnosed mental illness**

- <https://pubmed.ncbi.nlm.nih.gov/31701012/>

- Adolescents with **Autism spectrum disorder** were **3 times more likely to be diagnosed with gender dysphoria**. This shows a **correlation between mental illness and likelihood to believe they were not born in the right sex**.

- <https://t.co/hDvANGbY1f>

- Archive Link: <https://archive.ph/uuNdl>

- **Suicide**

- About **40% of transexuals** have **suicidal tendencies** and tried to commit **suicide**
- The **suicide attempt rate** among **transgenders** ranges from **32% – 50%** across the countries

- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5178031/>

- **82% of transgender** individuals have **considered killing themselves** and **40%** have

attempted **suicide**

- <https://pubmed.ncbi.nlm.nih.gov/32345113/>
- https://saravyc.sites.olt.ubc.ca/files/2015/05/SARAVYC_Trans-Youth-Health-Report_EN_Final_Print.pdf#page=44

"Lowering legal barriers to make it easier for **minors** to **undergo cross-sex medical interventions without parental consent** does **not reduce suicide rates** — in fact, it likely **leads to higher rates of suicide among young people**"

<https://www.heritage.org/gender/report/puberty-blockers-cross-sex-hormones-and-youth-suicide?fbclid=IwAR29NKdMp1wV1ydZ7UmQ3ztEkSuYqeQb2aoC3mR5Ja0yfyYQA-rBXfWoYI0&fs=e&s=cI>

-
- **41% of transgender people in the US attempted suicide**
- <https://web.archive.org/web/20140310021000/>
- http://www.nbcnews.com/id/40279043/ns/health-health_care/#.Ux0fQHbP25c
-
- **48% of transgenders attempted suicide**
- https://www.researchgate.net/publication/320197131_Trans_Pathways_the_mental_health_experiences_and_care_pathways_of_trans_young_people_Summary_of_results
-
- **Transgender people attempt suicide 9 times more than the entire US population**
- <https://transequality.org/sites/default/files/docs/usts/USTS-Full-Report-Dec17.pdf>
-
- **37% of transsexual youth have attempted suicide within the last year**
- http://saravyc.sites.olt.ubc.ca/files/2015/05/SARAVYC_Trans-Youth-Health-Report_EN_Final_Print.pdf#page=44

1 in 10 young transsexuals have attempted **suicide** more than **three** times in the last year

- http://saravyc.sites.olt.ubc.ca/files/2015/05/SARAVYC_Trans-Youth-Health-Report_EN_Final_Print.pdf#page=44
-
- **65% of transsexual youth** have seriously considered **suicide** within the **last year**
- http://saravyc.sites.olt.ubc.ca/files/2015/05/SARAVYC_Trans-Youth-Health-Report_EN_Final_Print.pdf#page=44
-
- **37% of transsexual youth** have attempted **suicide** within the **last year**
- http://saravyc.sites.olt.ubc.ca/files/2015/05/SARAVYC_Trans-Youth-Health-Report_EN_Final_Print.pdf#page=44
-
- **Persons with transsexualism, after sex reassignment, have considerably higher risks for mortality, suicidal behaviour, and psychiatric morbidity than the general population.**
- <https://pubmed.ncbi.nlm.nih.gov/21364939/>
-

• “Gender Affirming Care”

- The **best and largest research** on “gender-affirming care” over **8 years** among **adolescents** have found that there was **no improvement in mental health**, but a **74% INCREASE in suicidality** and “the most pronounced **increases in mental healthcare** were for **adjustment, anxiety, mood, personality, psychotic disorders, and suicidal ideation/attempted suicide**”

- <https://pubmed.ncbi.nlm.nih.gov/34247956/>

-

- Dr. Riittakerttu Kaltiala is a **Finnish trained adolescent psychiatrist** and is a pioneer of ‘**Gender affirming care**’ as she was one of the first physicians to head a clinic for ‘**gender-distressed young people.**’ She claims that from experience, **GAC** has caused much more **harm than good for Adolescents.** “Sometimes the young people insisted their lives had improved and they were happier. But as a medical doctor, I could see that **they were doing worse.** They were **withdrawing from all social activities.** They were **not making friends.** They were **not going to school.**”

- <https://www.thefp.com/p/gender-affirming-care-dangerous-finland-doctor>

-

“**Studies** presenting the **benefits** (of **sex reassignment** through medical intervention) to **mental health**, including those claiming that the services prevent suicide, **are either low or very low quality** and **rely on unreliable methods** such as surveys and retrospective analyses, both of which are **cross-sectional and highly biased.** Considering the **weak evidence supporting** the use of **puberty suppression, cross-sex hormones, and surgical procedures** when compared to the stronger research demonstrating the permanent effects they cause, **these treatments do not conform to GAPMS (Generally Accepted Professional Medical Standards)** and are **experimental and investigational.**”

- <https://cloudup.com/cErKkqMkHpt>

- Archive Link: <https://archive.ph/BfjIX>

-

- **Mississippi review of evidence agrees with the Florida review of evidence**

- <https://www.scribd.com/document/626072814/Ltr-Snyder-to-CCOs-Re-Gender-Dysphoria-Treatment#>

- **Coming from WPATH** (World Professional Association for Transgender Health), **over 50% of gender clinics in Canada do not require ANY psychological assessment before giving puberty blockers/hormones**

- <https://transyouthcan.ca/results/wpath-2020-5/>

-

- **Adjusted Odds Ratios revealed significantly higher odds** of a history of ever experiencing **suicidal ideation** in **those who planned to transition compared to those who do not want to receive treatment for transitioning** (aOR, 2.85; p < 0.01).

- <https://www.liebertpub.com/doi/10.1089/lgbt.2013.0048>

-

- **“Gender-Affirming” Surgery Leaves People Lonelier and Depressed, Study by Transgender Surgery Department Chairman Finds**
 - <https://www.dailysignal.com/2023/06/02/transgender-surgery-leaves-people-lonelier-depressed-study-transgender-surgery-dept-chairman-finds/>
 -
 - "The **FDA** also recently added a **warning** to its label that the "**gender affirming**" **drugs** can **cause a dangerous swelling** of the **brain**. **Kuitenbrouwer** and **Vasterman** also note concerns that the **treatment** can "**interfere** with the **ability** to make **rational decisions**."
 - https://thepostmillennial.com/maker-of-puberty-blockers-funded-original-study-that-led-to-gender-affirming-care-for-minors-dutch-investigative-report?utm_campaign=64466
 -
 - A **pharmaceutical company** that **marketed** triptorelin as a **puberty blocker** **funded** the original **study that led to 'gender-affirming care'** for minors_
 - <https://www.tandfonline.com/doi/full/10.1080/0092623X.2022.2121238?ref=upward.news>
 - <https://genspect.org/the-dutch-model-is-falling-apart/>
 -
 - **Public services** offering **gender-affirming care** to **minors** have **rapidly expanded** across **Australia** despite **limited evidence** of **safety** and **efficacy**. In **Queensland**, the number of **gender services** **increased** from **190** in **2017** to **922** in **2022**, and in **Victoria**, it went from **472** in **2019** to **1290** in **2023**. For **Queensland**, that is a **485% increase** within those **5 years**, and for **Victoria**, that is a **273% increase** within those **4 years**.
- "The central **principle** of the **gender-affirming model of care (GAMOC)** is that all **health clinicians** have an **ethical responsibility** not to **question** or **evaluate** patient reported **gender identity**, even when that **identity** is **unstable**, **changes rapidly**, and is **co-morbid** with **severe mental illness**."
- <https://journals.sagepub.com/doi/10.1177/10398562241249579>

Parents were **asked** if "**gender specialists**" had **pressured** them into **having** their **children** **transition** either **socially** or **medically**. **Out of 390** parents who had answered, **51.8%** said **yes**, **23.6%** were **unsure**, while **24.6%** answered **no**. **Pressured** parents were **more likely** to **believe** their **children** had **deteriorated** in some way after **transition**.

- <https://link.springer.com/article/10.1007/s10508-023-02576-9>

Archive Link: <https://archive.ph/4Mfkr>

- The **European Society of Child and Adolescent Psychiatry (ESCAP)** published a **policy statement** on **child** and **adolescent gender dysphoria**. **Healthcare providers** must **not promote experimental** and **invasive treatments**, such as **transition surgery**, with **unproven psycho-social effects** and must adhere to the "**first, do no harm**" **principle**. The **poor reliability** and **instability** of a **gender dysphoria diagnosis** in a **child** is why **blocking puberty** would have **negative effects** on the **child's psychosocial development**. They also mention that **some children** may **benefit** from **gender reassignment**, however there is a **lack of quality research** to determine the **risk-benefit ratio**
- <https://link.springer.com/article/10.1007/s00787-024-02440-8>

-
- **Gender medicine for children and young people is built on shaky foundations.**
 “The **rationale** for **early puberty suppression** remains **unclear**, with **weak evidence** regarding the **impact** on **gender dysphoria** and **mental** or **psychosocial health**. The **effect** on **cognitive** and **psychosexual development** remains **unknown**.”
 “The use of **masculinising/feminising hormones** in those **under** the age of **18** also presents many **unknowns**, despite their **long standing use** in the **adult transgender population**.”
- <https://www.bmj.com/content/385/bmj.q814>
-

• **Puberty Blockers**

- **Paediatrician debunks the myth that puberty blockers are reversible; they are not**
- <https://drdylanwilson.substack.com/p/on-the-myth-that-puberty-blockers>
- Archive Link: <https://archive.ph/9KHXY>
-
- **Lupron, used as chemical castration for violent sex offenders, is also used as a puberty blocker**
- <https://pubmed.ncbi.nlm.nih.gov/30047834/>
- Archive Link: <https://archive.ph/x8Q0X>
-
- **A 2003 study in the New England Journal of Medicine** concluded that some **kids** on **drugs** like **Lupron** developed **osteopenia** and **lost** too much **bone density** during a three-year course of **treatment** to justify the **therapy**. In other words, the **lifetime risk** of **breaking a bone outweighed** the **reward** of **growing a bit taller**.
- <https://www.pbs.org/newshour/health/women-fear-drug-they-used-to-halt-puberty-led-to-health-problems>
- Archive Link: <https://archive.ph/H0Jfd>
-
- **Triptolerin, used to castrate sex offenders, is also used as a puberty blocker**
- <https://www.tandfonline.com/doi/abs/10.1080/14789949.2011.552621>
-
- **After 2 years on blockers, youth showed no significant improvement in depression, emotional health, or parent-reported behavior**
- <https://www.medrxiv.org/content/10.1101/2025.05.14.25327614v1>
-
- **Puberty blockers are irreversible** as they have **negative impacts** on **bone density** which can cause **serious harm** to a **child's growth**
- https://www.binary.org.au/new_studies_prove_puberty_blockers_are_not_reversible
-
- **Puberty blockers do not alleviate negative thoughts in children with gender dysphoria.**
- Instead, **children** experienced **reduced growth in height** and **bone strength** by the time they finished **treatment**.

- <https://www.bmj.com/content/372/bmj.n356>
-
- **Puberty blockers significantly decreases bone density**
- <https://pubmed.ncbi.nlm.nih.gov/32832823/>
-
- **Puberty blockers negatively impact bone mineral density, especially at the lumbar spine**
- <https://pubmed.ncbi.nlm.nih.gov/34497118/>
-
- **Puberty blockers have a negative impact on bone mineral density, especially at the lumbar spine**
- <https://pubmed.ncbi.nlm.nih.gov/36048500/>
-
- **Pubertal suppression decreases growth and height velocity**
- <https://pubmed.ncbi.nlm.nih.gov/34315674/>
-
- **Drugs such as leuprorelin, which are used as puberty blockers, very negatively affect cognitive ability. This has a serious negative impact on children whose brains are still developing.**
- <https://pubmed.ncbi.nlm.nih.gov/12175403/>

Puberty blockers showed no positive effect on psychological function but there was suppression of growth_

<https://pubmed.ncbi.nlm.nih.gov/33529227/>

-
- **NHS changes its statement on puberty blockers from then being fully reversible to quite the opposite and now lists a very long list of side effects for puberty blockers and cross sex hormones such as but not limited to infertility**
- <https://www.spectator.co.uk/article/the-nhs-has-quietly-changed-its-trans-guidance-to-reflect-reality/>
-
- **Boston Children's Hospital Claims Puberty Blockers "Completely Reversible"; Director Admits They Cause Infertility During Use**
- <https://www.breitbart.com/health/2022/10/15/boston-childrens-hospital-claims-puberty-blockers-completely-reversible/>
-
- **"There are over 25,000 adverse reports including 1,500 deaths on Lupron products for puberty blockers, endometriosis, and prostate cancer. Manufactured by AbbVie, Lupron Depot-Ped is the number 1 prescribed puberty blocker, which is being used on children for early stages of gender transitioning, despite never having been approved for that purpose by the FDA"**
- <https://www.coreysdigs.com/health-science/exploiting-transgenders-part-1-manufacturing-an-industry/>

-
-

- **Hormone Therapy**

-

- In May of 2025, MedRxiv published the "**largest**" study "of youth with gender dysphoria initiating **medical intervention** beginning with **puberty blockers** in early puberty to be followed in the United States. " Spanning 24 months, the study found that "**Depression** symptoms, **emotional health** and CBCL [Child Behavior Checklist] constructs **did not change significantly over 24 months.**"

- <https://www.medrxiv.org/content/10.1101/2025.05.14.25327614v1>

-

- **Hormone therapy** on youth showed **no statistically significant improvement on mental health**, but there was **increase in suicidal ideation, self harm and suicide attempts.**

- <https://publications.aap.org/pediatrics/article/145/4/e20193006/76951/Body-Dissatisfaction-and-Mental-Health-Outcomes-of>

-

- **Cross-sex hormones** affect the **brain** to some extent which is where the **myth of trans brains** comes from. **Trans brains** are not real, it is actually **hormones influencing the brain** enough to **confuse the measures** and be **abused in research** by **trans activists.**

- https://eje.bioscientifica.com/view/journals/eje/155/suppl_1/1550107.xml

-

- There is **no significant difference** in terms of **depressive symptoms or psychological adjustment** between **MtFs with and without hormonal treatment**

- <https://pubmed.ncbi.nlm.nih.gov/6667109>

-

- **Up to 25% of transwomen and 39% of transmen are obese before starting hormone therapy.** Once **starting hormone therapy, obesity rates** of the patients **increase to 30% for transwomen and 52% for transmen.**

- <https://pubmed.ncbi.nlm.nih.gov/34400797/>

-

- **Use of exogenous estrogen by MtF transsexuals results in an increased risk of breast cancer**

- <http://www.ncbi.nlm.nih.gov/pubmed/25415740>

-

- Out of 14 studies examining **depression** and/or **suicidality**: There were 8 studies examining **suicidality**, only 2 found significant **positive** results, the other 6 studies did **not** find a **positive** result but a null one. Overall, the studies examining **suicidality** find the **treatment** to be **ineffective**. There were 14 examining **depression**, only 4 found a **significant positive** result (2 of which were marginal and **weak positive** results), 2 found **weak** and marginal **significant results** only for 1 sex (in 1 it was in **males**, in the other it was in **females**), 7 found **insignificant changes**, the **treatment** was **ineffective** in 7 studies, and 1 study (the largest

one) found **significant negative changes** after **treatment**. Overall, the studies examining **depression** find the **treatment** to be **ineffective**.

- <https://onlinelibrary.wiley.com/doi/abs/10.1111/apa.17309>

-

- This study assessed how **adolescent development progresses** and **psychiatric symptoms develop** among **transsexual adolescents** after starting **cross-sex hormone treatment** and found that those who did **well** in terms of **psychiatric symptoms** and **functioning before cross-sex hormones** mainly did **well in real life**. Those who had **psychiatric treatment needs** or **problems in school, peer relationships** and **managing everyday matters** outside of home continued to have **problems in real life**. **Medical gender reassignment** is **not enough** to **improve functioning** and **relieve psychiatric comorbidities** among **adolescents** with **gender dysphoria**.

- <https://www.tandfonline.com/doi/full/10.1080/08039488.2019.1691260>

-

- **No change in negative affect** after **3 years of hormone intervention**

- <https://pubmed.ncbi.nlm.nih.gov/33466910/>

-

- **No change in anxiety** after **hormones**

- <https://pubmed.ncbi.nlm.nih.gov/34993521/>

-

- **No change in anxiety** after **hormone treatment**

- <https://pubmed.ncbi.nlm.nih.gov/31230940/>

-

- Study reported **no** statistically significant **differences** in **anxiety, depression** and **suicidality** **before** and **after hormone therapy**

- <https://pubmed.ncbi.nlm.nih.gov/33644311/>

- Archive Link: <https://archive.ph/6pEho>

-

-

-

- **Transition Surgery**

- **Danish follow up** of **transgenders** found that even **after sex reassignment surgery** over **32 years** did **not** improve the **mental illness rates** and concluded that **sex reassignment** could have **negative effects** on some individuals

- <https://www.tandfonline.com/doi/full/10.3109/08039488.2015.1081405>

- Archive Link: <https://archive.is/jDQ1D>

-

- A **national database analysis** of **107,583 patients** found that people with transition surgery showed **worse** symptoms of **depression, anxiety, substance use disorder, and suicidal ideation** compared to those who did not

- <https://pubmed.ncbi.nlm.nih.gov/39996623/>

- Archive Link: <https://archive.ph/c37Dt>
-
- Even **after sex reassignment surgery** the levels of **depression** and **anxiety** among **transgenders stay the same**

<https://www.tandfonline.com/doi/abs/10.1080/02699200600565905>

- **CMS** analysed **33 studies** on **sex reassignment surgery** and found that "the **results** were **inconsistent**, but **negative** in the **best studies**"

- And

[REDACTED]

- <https://www.cms.gov/medicare-coverage-database/view/nca.aspx?NCAId=282>

- When comparing **psychological functions** of **transgenders before** and **after surgery** there was **no significant positive** or **negative change** found.

https://www.researchgate.net/publication/232874550_Psychological_functions_in_male-to-female_transsexual_people_before_and_after_surgery

There is **no significant difference** in **well being** between those who **undergo genital surgery** or **surgical breast augmentation** and those who **do not have these surgeries.**

<https://pubmed.ncbi.nlm.nih.gov/22188877/>

There is no improvement in **psychological functioning** among **transgenders** in **6 months** after surgery.

- "The **results** of the study showed that **GRS** had **no significant effect** on **functioning** as measured by **SCL-90R** within **six months** of surgery."

<https://www.tandfonline.com/doi/abs/10.1080/14681990701882077>

-
- **A longitudinal study** found that **sex reassignment surgery** has **no positive effects** on **standardised measures** of **psychological symptoms**, **body image**, **self-esteem**, **sexuality**, and **quality of life**

<https://pubmed.ncbi.nlm.nih.gov/29128275/>

-
- When " **comparing transsexuals accepted for such surgery** with **transsexuals after such surgery has been performed**"

[REDACTED]

<https://psycnet.apa.org/record/2001-03117-003>

-

- "There is **no conclusive evidence** that **sex change operations improve** the **lives of transsexuals**, with many people remaining **severely distressed** and even **suicidal after the operation**, according to a **medical review**"

"The **review** of more than **100 international medical studies** of **post-operative transsexuals** by the **University of Birmingham's Aggressive Research Intelligence Facility (ARIF)** found **no robust scientific evidence** that **gender reassignment surgery is clinically effective.**"

- <https://www.theguardian.com/society/2004/jul/30/health.mentalhealth>

-

- There is **no significant difference in well being** between those who **undergo genital surgery** or **surgical breast augmentation** and **those who do not** have these surgeries._

<https://pubmed.ncbi.nlm.nih.gov/22188877/>

-

- Individuals who **received sex reassignment surgery** and had an **emergency visit** are **associated** with a **1200% higher suicide attempt risk** compared to adults with **emergency visits** but **did not receive surgery** and are **associated** with a **470% higher suicide attempt risk** compared to adults with **emergency visits, tubal ligation** or **vasectomy**, but **no gender-affirming surgery**

- <https://www.cureus.com/articles/201512-risk-of-suicide-and-self-harm-following-gender-affirmation-surgery#!/>

-

- **Sex reassignment does not improve rates** of **psychopathology** among **transgenders**_

<https://pubmed.ncbi.nlm.nih.gov/11089727/>

- **Mental illness rates** among **transgenders** are **high**,and this is true for **all stages of transition (no transition, hormones, postoperative)**

<https://pubmed.ncbi.nlm.nih.gov/15865950/>

-

- A **study** found that **sex reassignment surgery in transsexuals** is "**not the treatment of choice**", and had **no positive effect** but there was "**progressive level of psychological dysfunction**"

- <https://pubmed.ncbi.nlm.nih.gov/3998721/>

-

- **Sex reassignment surgery confers no objective advantage** in terms of **social rehabilitation** as compared with a group of **individuals who sought sex reassignment** but **remained unoperated upon follow-up**_

- <https://pubmed.ncbi.nlm.nih.gov/464739/>

Having undergone sex reassignment surgery was **not associated** with **better quality of life** or **mental health outcomes**

- <https://pubmed.ncbi.nlm.nih.gov/23943260/>

-

- **After sex reassignment surgery**, there was a **trend** of **worsening state of well-being** over a **5 year follow up**_

<https://pubmed.ncbi.nlm.nih.gov/28603386>

•

• H

• <https://pubmed.ncbi.nlm.nih.gov/25270637/>

•

• Persons with **transsexualism**, after **sex reassignment**, have considerably **higher risks** for **mortality, suicidal behavior, and psychiatric morbidity**. Findings suggest that **sex reassignment**, although alleviating **gender dysphoria**, may **not suffice** as **treatment** for **transsexualism**

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0016885>

•

"The most thorough follow-up of sex-reassigned people — extending over thirty years and conducted in Sweden, where the culture is strongly supportive of the transgendered — documents their lifelong mental unrest. Ten to fifteen years after surgical reassignment, the suicide rate of those who had undergone sex-reassignment surgery rose to twenty times that of comparable peers." - Dr. Paul McHugh, former Johns Hopkins Psychiatrist in Chief

• <https://www.thepublicdiscourse.com/2015/06/15145/>

•

• **20% stopping rate, 18% complication rate, 37% had hormone levels found to be out of target range during the course of treatment**

• <https://www.mdpi.com/2227-9032/10/1/121>

•

• **Transgender Surgery Provides No Mental Health Benefit**

• <https://www.thepublicdiscourse.com/2020/09/71296/>

•

• **"15 years after sex reassignment operation, quality of life is lower in the domains of general health, role limitation, physical limitation, and personal limitation."**

<https://pubmed.ncbi.nlm.nih.gov/18990387/>

• **After surgery 47% are dependent on social support compared to 41% before surgery**

• <https://pubmed.ncbi.nlm.nih.gov/9075286/>

• **Males who undergo "gender-affirming orchiectomies" (surgical removal of the testicles) have a 26.5 times higher rate of testicular cancer.**

• <https://meridian.allenpress.com/aplm/article/doi/10.5858/arpa.2024-0218-OA/503894>

•

• **50% of sex reassignment patients for just vaginoplasty have complications, and 14% have major and severe complications**

<https://bjui-journals.onlinelibrary.wiley.com/doi/abs/10.1046/j.1464-410X.2001.02323.x>

•

• **20% of sex reassignment patients have severe complications after surgery**

- <https://www.thieme-connect.de/products/ejournals/abstract/10.1055/s-0030-1262718>
-
- **A longitudinal study found that sex reassignment surgery had no positive effects on standardised measures of psychological symptoms, body image, self esteem, sexuality, and quality of life.**
- <https://pubmed.ncbi.nlm.nih.gov/29128275/>
-
- **This study evaluates the risk of suicide or self-harm associated with gender affirmation procedures. Individuals who underwent gender-affirming surgery had a 12.12-fold higher suicide attempt risk than those who did not (3.47% vs 0.29%)**
- <https://pubmed.ncbi.nlm.nih.gov/38699117/>
-
- **This study examined 13 male-to-female and 4 female-to-male transsexuals in a follow-up (5-20 years after the operation). The quality of life of the 13 MTF transsexuals had significantly deteriorated. 9 depend on social welfare, 8 report being unable to experience sexual pleasure, 10 suffer from anxieties, depression or addictions, 3 regret the operation and 2 had a second operation for restoration of the original state. The 4 FTM transsexuals showed slightly better results with only 2 suffering from depression and problems of addiction.**
- <https://pubmed.ncbi.nlm.nih.gov/9789272/>
-
- **The present article describes five biological men who have been observed in their roles as women for a period of 6 to 12 years since undergoing a complete sex change. In none of the cases were their great expectations fulfilled. Negative effects of the treatment comprised not only of somatic, sexual, and social complications but above all, psychologic difficulties such as indirect regret and suicidal thoughts. In light of the patients' postoperative life situations, sex change treatment appears almost counterproductive, since the definitive surgical treatment they underwent fixated the patients in a defensive position, which prevented the natural maturity and development of their own personality into a "true self".**
<https://www.tandfonline.com/doi/abs/10.3109/08039489409084964>
-
- **Follow up 6 months after surgery found no significant difference in anxiety, depression or body image**
- <https://link.springer.com/article/10.1007/s10508-017-1012-7>
-
- **Social Transition**
- **The biggest and currently newest (May 2023) research proves that social transition (of children) DOES NOT have a significant positive effect on mental health. "Overall, there were no significant effects of social transition or name change on mental health status."**
- <https://link.springer.com/article/10.1007/s10508-023-02588-5>

- Archive Link: <https://archive.ph/ajE3k>
-
- **Social transition of children does not result in better mental health outcomes**
- "The **degree of social transition did not significantly predict the outcome**. Therefore, **claims that gender affirmation through transitioning socially is beneficial for children with GD could not be supported from the present results.**" _
- <https://pubmed.ncbi.nlm.nih.gov/33081539/>

• **Surgeries On Minors**

- This survey of people with **post breast reconstruction surgery** found that **49% of them were younger than 18**
- <https://jamanetwork.com/journals/jamapediatrics/fullarticle/2674039>
- Archive Link: <https://archive.ph/73JPx>
-
- **In this chest reconstruction surgery survey several were found to be under 18, with some even being under 16**
- <https://www.tandfonline.com/doi/full/10.1080/15532739.2017.1349706>
- Archive Link: <https://web.archive.org/web/20240303230558/https://www.tandfonline.com/doi/full/10.1080/15532739.2017.1349706>
-
- "Of the 11 surgeons who had performed **vaginoplasty** on a **transgender female minor**, 10 were in private practice. Reported ages of **minors undergoing surgery** ranged from **15 to "a day before 18"** years (surgeon 7). Most participants had noticed a **definite increase in the number of minors requesting information** about the procedure on their own or being referred for **vaginoplasty by their mental health providers.**"
- <https://academic.oup.com/jsm/article-abstract/14/4/624/6973360?redirectedFrom=fulltext>
- Archive Link: <https://archive.ph/PyUka>

• **Transgenders in Sports**

- **Sources on the advantages men have when participating in female sports. To avoid confusion: "man" refers to a real man, "transman" refers to a woman who identifies as a man. "Woman" refers to a real woman, "transwoman" refers to a man who identifies as a woman.**
-
- **After transwomen (i.e. biological men) and transmen (i.e. biological women) both underwent 12 months of cross sex hormone therapy, transwomen still ended up being stronger than transmen, in both absolute and height adjusted values**
- <https://academic.oup.com/jcem/article/105/3/e805/5651219>
-

- **Transwomen** retain **greater muscle strength** than **women** even after **36 months** of **hormone therapy**
- <https://bjsm.bmj.com/content/55/15/865>
-
- **The biological advantage** that **transgender "women"** have **over women** is **only minimally reduced when testosterone is suppressed** as per current sporting guidelines for transgender athletes
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7846503/>
-
- **"Transwomen still had a 9% faster mean run speed after the 1 year period of testosterone suppression** that is **recommended by World Athletics** for inclusion in women's events."
- <https://bjsm.bmj.com/content/55/11/577.full?ijkey=yjICzZVZFRDZzHz&keytype=ref>
-
- A **systematic review** found an **almost null change in strength** after **transition from male to female** "In **male-to-females (MtFs)** the results of the muscle strength analysis were more controversial, but the pooled estimate effect showed a decrease: **−3.6%** (95% confidence interval [CI] **−6.6; −0.6**)."
- <https://www.scielo.br/j/rbme/a/CDkTksYcMPcKYTHGfcJLX4K/>
-
- "[Biological] **women** have **smaller conducting airways** than **men**, even when matched for **lung size**. This is important when considering the principles of airflow [...]"
- <https://journals.physiology.org/doi/full/10.1152/advan.00118.2006>
-
- **"Men** have **significantly greater left ventricular mass** and **chamber size** than **women**. Because the left ventricular ejection fraction is the same in both sexes, the **stroke volume** is **larger in men than in women**."
- <https://journals.physiology.org/doi/full/10.1152/advan.00118.2006>
-
- At least around **900 medals** have been de facto **stolen** by **male trans athletes** from **women** in **women's sports**, across **hundreds of competitions** and **dozens of sports**
- <https://www.ohchr.org/en/documents/thematic-reports/a79325-report-special-rapporteur-violence-against-women-and-girls-its>
-
- **Systematic review** found that **after transition**, those who transition from men to women, **still have the same bone density as men**, and have **only a small effect on bone density of lumbar spine**.
- "In trans women, mean BMD difference was **not significant** vs. natal men at femoral neck, total femur, and lumbar spine in cross-sectional studies;" ... "In transgender women, only lumbar spine BMD seemed to be affected after CSHT"
- https://www.researchgate.net/publication/331793651_Bone_Mass_Effects_of_Cross-Sex_Hormone_Therapy_in_Transgender_People_Updated_Systematic_Review_and_Meta-Analysis
-

- **MtF transgressors** have **male knee injury rates** after **cross-sex hormone therapy**
- "Subgroup analysis showed **significantly higher incidence of knee injuries** among cisgender men (5.6%) versus cisgender women (4.1%) (p = 0.042) and among transgender women (6.6%) versus cisgender women (4.1%) (p = 0.005)."
- <https://www.mdpi.com/1660-4601/20/22/7060>

• Trans Genocide MYTH

- Only **32 transgender** people have been **killed** in the **US** in **2022**. The **trans murder rate** is about **2**.
- <https://abcnews.go.com/Health/wireStory/report-32-transgender-people-killed-us-2022-93408263>

- Archive Link: <https://archive.ph/gWto2>

-

In contrast the estimated murder rate in **2022** for the **general population** is **6.45**. Thus **trans** people are **3 times less likely to be killed** than the **average American**.

- <https://williamsinstitute.law.ucla.edu/wp-content/uploads/Trans-Pop-Update-Jun-2022.pdf>

- **Most murder cases** of **trans** people involve either **domestic violence within LGBT** or **high risk lifestyles** like **sex work** and **high rates of STDs**
- <https://thefederalist.com/2019/11/04/the-left-is-lying-about-a-hatred-and-violence-epidemic-against-transgender-people/>

- Archive Link: <https://archive.ph/YGmvJ>

-

- **"The overall homicide rate of transgender individuals** was likely to be **less than** that of **cisgender individuals"**

- <https://pubmed.ncbi.nlm.nih.gov/28727530/>

- Archive Link: <https://archive.ph/2fNjs>

- "But what about **anti-trans bills**"

Most of the **legislation** that is **considered "anti-trans"** by **activists** are:

- **Bills opposing gender ideology** in **elementary schools**
- **Bills protecting minors** from **dangerous surgery/hormone experiments**
- **Bills involving religious people denying service** based on conscience
- **Bills prohibiting LGBT pornographic content** to **children**
- <https://www.aclu.org/legislative-attacks-on-lgbtq-rights>
- Archive Link: <https://archive.ph/CixxU>

- **Crime**

- **Violent Crime**

- **Bisexual** men are much **more violent** and **criminal** than **heterosexual** men, while the **homosexual** men are **less violent** in measures of **fighting to even a score**, and in **defense of self or others**, and to **consider themselves more violent** in terms of the two hypothetical violence measures. The measure in which **homosexual males significantly exceeded heterosexuals** had to do with the **use of marijuana** and **other illegal drugs other than alcohol**.

- **Lesbians** are much **more violent** and **criminal** than **heterosexual** women .

- <https://www.sciencedirect.com/science/article/abs/pii/S0191886990901461>

- Archive Link:

- <https://web.archive.org/web/20230521050958/https://www.sciencedirect.com/science/article/abs/pii/S0191886990901461>

- **Drug Use**

- **Tobacco**

- Gay and transgender individuals use tobacco up to 200% more than those who identify as heterosexual.

- **Alcohol**

- Between 20 and 25% of the LGBTQ community have moderate to severe alcohol dependency.

- **Marijuana**

- Gay men are 3.5 times more likely to use Marijuana than straight males.

- **Amphetamines**

- Members of the LGBTQ community are 12.2 times more likely to use Amphetamines.

- **Heroin**

- LGBTQ individuals are 9.5 times more likely to use Heroin than heterosexual individuals.

- <https://www.addictioncenter.com/addiction/lgbtq/>

-

- **LGBT** are **3** times **more likely** to use **heroin**

- **LGBT** are **4** times **more likely** to use **methamphetamine**

- **LGBT** are **3** times **more likely** to have **marijuana** use disorder

- **LGBT** are **2** times **more likely** to have **alcohol** use disorder

- **LGBT** are **2** times **more likely** to **smoke**

- About **20% – 30%** of **LGBT** abuse **substances** in their life over **3** times **more** than **heterosexuals**

- **15%** of **LGBT** had **alcohol** or **drug use DISORDER** in the **LAST YEAR** only, over **2** times **more** than **heterosexuals**

- <https://healthyliferecovery.com/mental-health-addiction-in-lgbtq/>
 -
 - **41.3% of homosexuals 18 and older reported past-year marijuana use**, compared to **18.7% of the normal adult population**
 - **6.7% of homosexuals in 2020 misused opioids (prescription opioids or heroin use) in the past year**, compared to **3.6% of the overall adult population**
 - The **NSDUH survey** also found that, **in 2020**, approximately **21.8% of homosexuals had an alcohol use disorder in the past year**, compared to **11.0% in the overall population**
 - **Bisexual men and women are more likely to use tobacco and e-cigarettes than heterosexual men and women**
 - <https://nida.nih.gov/research-topics/substance-use-suds-in-lgbtq-populations>
 -
 - **LGB adolescents reported 2.89 higher rates of substance use** compared to **heterosexual youth**
 - <https://pubmed.ncbi.nlm.nih.gov/18339100/>
 -
 - **Homosexuals are more likely to use illegal drugs and drink to excess than straight people**
 - <https://www.cdc.gov/msmhealth/substance-abuse.htm>
 -
 - **LGBTQ+ adults are 56% more likely to develop an alcohol use disorder and 3 times more likely to develop another substance disorder**
<https://www.samhsa.gov/data/report/2015-2016-nsduh-sexual-orientation-summary-sheets>
 -
 - **33% of homosexuals have depression, 23% have lifetime conduct disorder, 20% are drug addicts, and 10% of them have nicotine addiction**
 - <https://pubmed.ncbi.nlm.nih.gov/25294230/>
 -
 - **Lesbians are more likely than heterosexual women to smoke**
<https://pubmed.ncbi.nlm.nih.gov/12734037/>
 -
 - **"There were clear hazardous drinking disparities between sexual minority individuals and heterosexual individuals over time. During adolescence, sexual minority individuals, particularly females, reported higher levels of hazardous drinking. As study participants reached adulthood, the magnitude of the hazardous drinking disparities increased among sexual minorities, sexual minority men in particular."**
 - <https://pubmed.ncbi.nlm.nih.gov/23325141/>
 -
- In comparison with the female population, lesbians/bisexual women exhibit greater prevalence rates of obesity, alcohol use, and tobacco use.**
<https://pubmed.ncbi.nlm.nih.gov/11291371/>

● Prison

- **Men in prison are 5 times more likely to be gay and 42% of women in prison are lesbians**, meaning that being in **prison** has **correlation** with **homosexuality**

- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5227944/>

- Archive Link: <https://archive.ph/bQTV2>

-

- **Prison population is overwhelmingly comprised of LGBT** compared to general population

- <https://www.prainc.com/lesbians-gay-men-bisexuals-jails-prisons/>

- Archive Link: <https://archive.ph/pldJp>

-

- **Before jail, 36% of women were LGBT; after jail the number jumped to 45%**

- <https://link.springer.com/article/10.1007/BF02886850>

- Archive Link: <https://archive.ph/uM4jp>

● Sexual Crime

- **20% of sex offenders self identify as LGBT**

- <https://williamsinstitute.law.ucla.edu/publications/lgbtq-sex-offender-registries/>

- Archive Link: <https://archive.ph/tSRMb>

-

- **50.8% of men reported childhood sexual abuse (CSA), and 67.2% reported adult sexual assault (ASA).** Most perpetrators (**83.9%**) of recent **ASA incidents** were **male**; **67%** of **participants** reported **consuming alcohol** and/or **drugs** prior to the most recent incident.

- <https://pubmed.ncbi.nlm.nih.gov/24483778/>

- Archive Link: <https://archive.ph/dTYbj>

-

- **48% of transgender individuals in prison have been convicted of sex offending.** A more recent study shows that **49.6%** of **transgender individuals in prison** have been **convicted of sex offending.**

- <https://fairplayforwomen.com/transgender-male-criminality-sex-offences/>

-

- **About half of all transgender inmates are sex offenders**

- <https://fairplayforwomen.com/transgender-prisoners/>

- Archive Link: <https://archive.ph/Oeguq>

-

- **Of the 125 transgender prisoners** counted by the prison service in 2017, **60 had been convicted of sexual offenses, including 27 convicted of rape**

- <https://files.catbox.moe/bfiv3n.pdf>

-

-

- **Pedophilia**

- A literature review of 19 studies found that **Homosexuals and Bisexuals** are between **12-16 times more likely to molest children**, while **homosexual and bisexual educators** account for **80% of molestation of pupils** and are **90-100 times more likely to molest pupils**
<https://www.ojp.gov/ncjrs/virtual-library/abstracts/homosexual-molestation-childrensexual-interaction-teacher-and-pupil>

- Archive Link: <https://archive.ph/2Vy9a>

-

- **Homosexuals** are **more likely to be pedophiles** and about **33% of child molesters** are **homosexuals** ("ratio of sex offenders against female children vs offenders against male children is approximately 2:1")

Whilst specifically this study sample found **41% — 42.5% of child molesters** to be **homosexual**

- (1.35:1 heterosexual to homosexual ratio and conversion method 2 which found 1.44:1 heterosexual to homosexual ratio)

- <https://www.tandfonline.com/doi/abs/10.1080/00926239208404356>

- Archive Link: <https://archive.ph/pZlec>

-

A **gigantic study** of over **4000 pedophiles** found that about **33% of pedophiles** are **homosexual** and many more **bisexuals**, also it found that **homosexual pedophiles** are **significantly more likely to reoffend** and **harder to be treated**

<https://link.springer.com/article/10.1007/BF00856862>

- Archive Link: <https://archive.ph/AWc5K>

-

- **Study of pedophiles** published in **APAs (American Psychological Association) journal** found that:

- "With respect to **gender**, **455 participants (38.3%)** said that they were **attracted only to females**, **420 (35.3%) only to males**, and **314 (26.4%) to both males and females.**"

- In this **largest study of pedophiles** ever from **APAs journal** they find that **61.7% of pedophiles** are **homosexual/bisexual**

- <https://psycnet.apa.org/doiLanding?doi=10.1037%2Fapn0000212>

- Archive Link: <https://archive.ph/l4aWd>

-

- **Approximately one third of victims of sex offenders** are **boys**, in English **prisons** there were about **3000 sex offenders** of whom only **12 were women**, conclusion being that **female pedophiles** are extremely **rare**. From this we concluded that **homosexuals** could comprise **33% of pedophiles**

<https://www.taylorfrancis.com/chapters/edit/10.4324/9780203411773-10/adult-sex-offenders-dawn-fisher>

- <https://www.hrw.org/legacy/wr2k8/violence/violence.pdf>

- Archive Links: <https://archive.ph/MX9Zf>

- <https://archive.ph/AYaah>

-

About 33% of victims of child sexual abuse are male, and 97% of pedophiles are male
Thus (in the scenario with least homosexual pedophiles) **over 30% of child sexual abuse is done by homosexuals**

<https://bjs.ojp.gov/content/pub/pdf/CVVOATV.PDF>

- <https://www.hrw.org/legacy/wr2k8/violence/violence.pdf>
- Archive Links: <https://archive.ph/XxfTO>
- <https://archive.ph/AYaah>

- **Homosexuals and bisexuals are 42% of pedophiles**

- <https://www.sciencedirect.com/science/article/abs/pii/S0145213495000173>

- Archive Link: <https://archive.ph/ir8Ag>

-

- **This study found 42% of pedophiles to be bisexual/homosexual**

- It also found that **much higher rates of bisexual/homosexual pedophiles are "true pedophiles"**

- <https://pubmed.ncbi.nlm.nih.gov/9587795/>

- Archive Link: <https://archive.ph/lZa8r>

-

30% of victims of child pornography are not female, at least 25% are male, and one study of victims of child pornography found 33% of its participants were male

- **99.3% of abusers who do the crime of child pornography are men**

- Therefore, **homosexuals are responsible for 25%-30% (up to 33% also) of child pornography case, all while making up only few percent of the population**

<https://www.statista.com/statistics/1246257/gender-children-abused-child-pornography-content/>

[https://www.ussc.gov/sites/default/files/pdf/research-and-publications/quick-facts/Child Pornography FY18.pdf](https://www.ussc.gov/sites/default/files/pdf/research-and-publications/quick-facts/Child_Pornography_FY18.pdf)

<https://victimsofcrime.org/doc/Policy/section-4-improving-response-to-vcv.pdf?sfvrsn=2>

- Archive Links: <https://archive.ph/3My1K>

- <https://archive.ph/WGf45>

- <https://archive.ph/lXpFl>

-

- **An analysis on the reports of molestation was done through newspapers and it was found that 40% – 60% was homosexual molestation**

- <https://pubmed.ncbi.nlm.nih.gov/9676497/>

- Archive Link: <https://archive.ph/DH57o>

-

- **Analysing newspapers, it was found that over 50% of all teacher pedophiles are homosexual**

- <https://pubmed.ncbi.nlm.nih.gov/11898978/>

- Archive Link: <https://archive.ph/r3l4h>

-

- **36% of pedophiles are homosexual**

- <https://pubmed.ncbi.nlm.nih.gov/6512871/>

- Archive Link: <https://archive.ph/r3l4h>

Some large sample and high quality older studies find that about **30%-40%** of **pedophiles** are **homosexuals**

<https://www.jstor.org/stable/10.3138/j.ctvcj2pdp>

<https://www.semanticscholar.org/paper/Sex-Offenders%3A-An-Analysis-of-Types-Friedman/00f664d45bd1ddf89197884691c238b1e2e5af9c>

- Archive Link: <https://archive.ph/QFaKl>
- <https://archive.ph/RHPLp>

• **More than 80%** of **victims of pedophilia** from **catholic priests** have been **boys**. Data in this source proves that the proportion of homosexual men in the priesthood is correlated almost perfectly with the percentage of male victims and with the overall incidence of abuse.

Homosexuality has a prominent play in these situations.

- https://www.researchgate.net/publication/333083400_Is_Sexual_Abuse_by_Catholic_Clergy_Related_to_Homosexuality

- Archive Link: <https://archive.ph/6BOZt>

-

70.8% of **clergy pedophiles** are **homosexual pedophiles** as shown by **phalometric testing**
https://www.researchgate.net/publication/12518293_A_study_of_clerics_who_commit_sexual_offenses_Are_they_different_from_other_sex_offenders

- Archive Link: <https://archive.ph/8G80R>

- **Homosexuals** are responsible for **26%** of **male childhood sexual abuse** cases and **23%** of **female childhood sexual abuse** cases according to **Glenda Testone**, manager of **GLAAD** (Gay & Lesbian Alliance Against Defamation), who cited a study from the **American Academy of Pediatrics** saying that it is proof that **gays** are not the majority of **pedophiles**, not realising she **proved** that the **lowest statistic** about **homosexuals** still makes them about **12 times more likely** to be **pedophiles**.

<https://www.baptistpress.com/resource-library/news/homosexuals-more-likely-to-molest-kids-study-reports/>

- Archive Link: <https://archive.ph/FkyaF>

-

- **32%** of **pedophiles** are **homosexual or bisexual**

- <https://pubmed.ncbi.nlm.nih.gov/3395701/>

- Archive Link: <https://archive.ph/foDln>

42% of **offenders for non familiar (non incest) child molestation** are **homosexual**

- Whilst **overall rate** is **27%** for **homosexual/bisexual offenders**

<https://journals.sagepub.com/doi/10.1177/088626091006003005>

- Archive Link: <https://archive.ph/NesEh>

This **study** found **up to 60%** of **pedophiles** to be **homosexual**

- <https://pubmed.ncbi.nlm.nih.gov/3070603/>

- Archive Link: <https://archive.ph/05MRE>
-
- **Research in the Department of Psychiatry at the University of Ottawa, Canada found that 33% of pedophiles are exclusively homosexual and 23% are bisexual. This adds up to 56% of pedophiles being homo/bisexual, whilst being around 2% of population**
- <https://www.ojp.gov/ncjrs/virtual-library/abstracts/comparison-sexual-victimization-childhoods-pedophiles-and>
- Archive Link: <https://web.archive.org/web/20250201001232/https://www.ojp.gov/ncjrs/virtual-library/abstracts/comparison-sexual-victimization-childhoods-pedophiles-and>
-
- **Survey found that 53% of abuse by foster parents is homosexual**
- In group homes, 71% of the molestation was homosexual
- <https://pubmed.ncbi.nlm.nih.gov/15941101/>
- Archive Link: <https://archive.ph/E3gIL>
-
- **CDC study found 28% of child molestation before the age of 18 is done by Homosexuals**
- [https://www.ajpmonline.org/article/S0749-3797\(05\)00078-4/fulltext](https://www.ajpmonline.org/article/S0749-3797(05)00078-4/fulltext)
- Archive Link: <https://archive.ph/h4566>
-
- **45.8% of pedophiles are LGBT**
- <https://www.tandfonline.com/doi/abs/10.1080/00926238408405945>
- Archive Link: <https://archive.ph/nNeW3>
-
- From 1980-2006, **teachers engaging in same-sex intercourse** consisted of a **majority** of all **teacher molesters** in Ireland, New Zealand, Canada, and Scotland and consisted of a **large percentage** in Australia, England, and the US; in smaller samples, **homosexuals** accounted for **71% of perpetrators** in mainland **Europe**, **26% in Africa**, and **13% in Asia**.
- <https://www.semanticscholar.org/paper/Teacher-Pupil-Sex-Across-the-World%3A-How-Much-Is-Cameron/f1be4fd803c34efee8fae66263addae30347ef8e>
- Archive Link: <https://archive.ph/NRD6B>
-
- **Homosexuality is strongly related to pedophilia**
- <https://lanternproject.org.uk/library/general/articles-and-information-about-sexual-abuse-and-its-impact/homosexuality-and-child-sexual-abuse/>
- Archive Link: <https://archive.ph/71XFr>
-
- **Gays are 3% of the population but make up 40% of the child predators**
- <http://www.familyresearchinst.org/2009/02/child-molestation-and-homosexuality-2/>
- Archive Link: <https://archive.ph/FsG5x>

Gender ratio of victims of childhood sexual abuse is 2:1

- **86% of abuse against males is done by males, and 6% of abuse against females are by females**

Thus, **over 32% of child sexual abuse is done by homosexuals**

<https://www.healthyplace.com/abuse/child-sexual-abuse/child-sexual-abuse-statistics>

- Archive Link: <https://archive.ph/tyneJ>
- **37% of children** who have been **sexually abused** are **boys** while only **5% of child molesters** are female
- <https://www.ojp.gov/ncjrs/virtual-library/abstracts/sex-offenses-and-offenders-analysis-data-rape-and-sexual-assault>
- <https://psycnet.apa.org/record/2013-04507-015>
- Archive Links: <https://archive.ph/UemEM>
- <https://archive.ph/4Gmxt>
-
- **Men** commit **94.6% of sexual abuse** against **young boys** whilst **boys** are **33% of victims** of **child sexual abuse** according to one study and **37%** according to another Indian study
- https://www.researchgate.net/publication/268135394_Would_You_Tell_Under_Circumstances_Like_That_Barriers_to_Disclosure_of_Child_Sexual_Abuse_for_Men
- <https://www.semanticscholar.org/paper/Hidden-Child-Molestation-Fromuth-Burkhart/41a947186a2d45856f98b8776835892a59a5b02b>
- <https://www.semanticscholar.org/paper/A-cross-sectional-observational-study-on-child-Perumal-Sudhakar/73ce2c438967a6ebea30965819c97909479c6184>
- Archive Links: <https://archive.ph/Yo0Hy>
- <https://archive.ph/diZVC>
- <https://archive.ph/raj8Z>

(Using the **Human Rights Watch** victim gender ratio of **2:1**)

46% of female pedophiles are lesbians

<https://www.hrw.org/legacy/wr2k8/violence/violence.pdf>

<https://web.archive.org/web/20090730101002/http://www.ptsd.va.gov/public/pages/child-sexual-abuse.asp>

- Archive Links: <https://archive.ph/AYaah>
- <https://web.archive.org/web/20090730101002/http://www.ptsd.va.gov/public/pages/child-sexual-abuse.asp>
- About **1 in 6 men** are **abused** in their life and about **1 in 4 women** are **abused** in their life, meaning that the **proportion of male to female victims** is **2:3**
- [https://www.ajpmonline.org/article/S0749-3797\(05\)00078-4/fulltext](https://www.ajpmonline.org/article/S0749-3797(05)00078-4/fulltext)
- And **96% of child abusers** are **male**
- <https://www.nsvrc.org/publications/child-sexual-abuse-prevention-overview>
- Archive Links: <https://archive.ph/h4566>
- <https://archive.ph/VlExs>
-
- **By analysing newspapers**, it was found that of **foster parents** who **molested** their **children**, **60%** were **homosexual**, and another **study** found that **34%** of **foster parents** who **molested children** are **homosexual**

- <https://pubmed.ncbi.nlm.nih.gov/14723445/>
- Archive Link: <https://archive.ph/1tGVj>
-
- **Homosexuals are 25% of pedophiles**
- (This is the second **lowest statistic** that we could find)_
- <https://pubmed.ncbi.nlm.nih.gov/10983250/>
- Archive Link: <https://archive.ph/XUICb>
-
- An analysis of **pedophiles' hard drives** found that **10.2% were homosexual** collections and **6.8% were bisexual collections**
- (This is technically now the **lowest statistic** we could find, which is still an overrepresentation)
- <https://journals.sagepub.com/doi/10.1177/0306624X18794135>

● Uncategorized

- **Most pro-LGBT studies do not meet APA's own scientific standards**
- <https://journals.sagepub.com/doi/10.2466/17.CP.4.24>
- Archive Link: <https://archive.ph/GuxVz>
-
- **Confirmation bias** or **hypothesis conformity**, considered to be a questionable research practice (QRP), have existed in **at least one area** of the sciences for as long as **four decades**. Even when **noticed and reported**, such QRPs have continued, almost certainly leading to errors in reviews of literature. However, scholars who dare to challenge incorrect scholarly “consensus”, report **fraudulent research**, or who **dare to dispute widely accepted findings** may have their **professional careers destroyed**
- <https://www.internalmedicinereview.org/index.php/imr/article/view/875>
-
- “According to **APA’s own criteria**, **contradictions of APA’s reasoning** are shown and **scientific and logical reasons** are **presented** that show **masturbation** and **homosexuality** should be considered as **abnormal behaviours**. We **reviewed “statistical”, “well-being”, “dysfunction”, “anatomy-physiological”** and **“social norm”** criteria for **healthy sexual behaviours** and showed that, according to the **real healthy criteria**, **masturbation** and **homosexuality** are **not normal behaviours**.”
- <https://www.clinicalschizophrenia.net/articles/review-of-removing-homosexuality-and-masturbation-from-the-list-of-sexual-dysfunctions-in-dsm.pdf>
-
- **The decision to remove homosexuality off lists of mental illnesses was not scientific**; it was the **opposite**, and **against scientific evidence**
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4771012/>
-
- **Involvement in LGBTQ activism is related to Pathological Narcissistic Grandiosity** and **virtue signalling**

- https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4204911
- Archive Link: <https://archive.ph/v23am>
-
- **Liberal sexual ethics** that **justify homosexuality** also **justify bestiality, pedophilia and rape (partially)**
- <https://www.jstor.org/stable/40441324>
-
- **America** has spent **\$700 million promoting gay rights** abroad – an “**integral**” part of American foreign policy, **despite** this having done **more harm than good** (in terms of **persecution**)
- https://www.nytimes.com/2015/12/21/world/africa/us-support-of-gay-rights-in-africa-may-have-done-more-harm-than-good.html?_r=0
-
- **Arguments in favour of homosexuality** are based on **logical fallacies**
- http://hrcaj.srce.hr/index.php?show=clanak&id_clanak_jezik=19028&lang=en
-
- **Arguments** saying **gender** and **sex** are **different don't make any logical sense**
- <https://link.springer.com/article/10.1007%2Fs11406-019-00157-6>
-
- **Treatment of Transvestic Fetishism with Fluoxetine**
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3940015/>
- Archive Link: <https://archive.ph/UGaZl>
-
- **24% of lesbian and bisexual women are poor**, compared to only **19% of heterosexual women**
- <https://williamsinstitute.law.ucla.edu/publications/lgb-patterns-of-poverty>
- Archive Link: <https://archive.ph/NTHDU>
-
- **Gay and transgender students** are **half as likely to graduate** high school as **straight students**
- <https://www.americanprogress.org/issues/lgbt/news/2010/06/21/7980/gay-and-transgender-youth-homelessness-by-the-numbers/>
- Archive Link: <https://archive.ph/jGhMT>
-
- **Biological sex is binary**
- https://www.researchgate.net/publication/366501737_Biological_sex_is_binary_even_though_there_is_a_rainbow_of_sex_roles_Denying_biological_sex_is_anthropocentric_and_promotes_species_chauvinism
- Archive Link: <https://archive.ph/zfB79>
-
- **84% of furies** are **not heterosexual**
- **99% of furies** report some degree of **sexual motivation** for **being furies**
- **Furies** are **sexually attracted to anthropomorphic animals**

- **"Both sexual attraction to anthropomorphic animals and sexual arousal by fantasising about being anthropomorphic animals were nearly universal."**

- <https://pubmed.ncbi.nlm.nih.gov/30806867/>

- Archive Link: <https://archive.ph/YjgyW>

-

- "Feeding rabbits with mycelium from **Fusarium roseum** is shown to produce **infertility**, the **disappearance of aggressivity**, and **homosexual behaviour in males**, while the effect of the **females** is only **infertility**. This mycelium contains the **mycotoxin zearalenon** which has effects similar to those of the **female hormone**."

This fungus is **consumed** by both **animals** and **humans** and may possibly be a factor in **increasing homosexuality** among **humans** as well.

- "It cannot be ruled out that an **increased growth of fungus**, due to **artificial fertilisation**, which then can be demonstrated to be found in **food** and **consumed**, can be a factor which **increases** the incidence of **homosexual behavior** in **people**."

- <https://pubmed.ncbi.nlm.nih.gov/2959888/>

-

- **"Anti-Trans" law proposals** are criticized by pro LGBT websites for **not allowing people under the age of 18 to get sex-change operations**, tax payer dollars to be used to pay for these surgeries, **adults (who aren't the parents) to talk to young children about sex**, etc...

- <https://threadreaderapp.com/thread/1833280552746561689.html>

- Archive Link: <https://archive.ph/85SWh>

-

- **100% of space crime** is done by **lesbians**

- <https://www.nytimes.com/2019/08/23/us/astronaut-space-investigation.html>

- **This is meant to be a joke and not taken seriously, as there has only been one crime in outer space done by a lesbian.*

-

-